

车间设备 Workshop equipment



Ningbo Pneutech Automation Co.,Ltd

目录 CONTENTS

塑料快插接头
Plastic Push-in Fittings ..... 01~24

调速节流阀
Speed Controllers ..... 25~26

旋转式快插管接头
Rotary Fittings ..... 27~28

手阀
Hand Valves ..... 29~31

截止阀
Stop Fittings ..... 32~33

单向阀
Check Valves ..... 34~35

迷你接头
Mini Tube Fittings ..... 36~43

全铜快插接头
Brass Push-in Fittings ..... 44~55

全铜过渡接头
Brass Transition Fittings ..... 56~58

全铜快拧管接头
Brass Push-on Fittings ..... 59~67

全铜宝塔接头
Copper Pagoda Joint 68

不锈钢快插接头
Stainless Steel Push-in Fittings ..... 69~86

不锈钢调速节流阀
Stainless Steel Speed Controllers ..... 87~88

不锈钢快拧接头
Stainless Steel Push On ..... 89~97

不锈钢卡套接头
Stainless Compression Fittings ..... 98~107

不锈钢过渡接头
StainlessTransition joint ..... 108~110

PU管
PU Tube 111

PU弹簧管
PU Coil Tube 112

尼龙管, PE管, 气管剪, 气枪
Nylon Tube, PE Tube, Tube Cutter, Air Gun 113

消声器
Silencers 114

壳体/Plastic body :

按钮/Release sleeve :

特点

- 快插式气动管接头用于气动管类系统
- 管接头具有各种各样的型号，可以满足你在气动管类系统中的所有需要
- 即使安装之后，管道的方向仍然可以自由改变
- 镀镍的铜体可以防腐蚀和污染
- 所有的R跟NPT 螺纹胶都起密封作用
- 所有的直螺纹都用标准的O型圈


FEATURES

- One-Touch tube fittings are used in pneumatics piping.
- The tube fittings come in a wide variety of models to meet all your needs in pneumatics piping.
- Even after installation,the direction of the tube can be changed freely.
- Nickel-Plated metal body ensures Anti-Corrosion and Anti-Contarmination.
- All R and NPT threads are Pre-Coated sealant.
- All cylindrical threads are standard with O-Ring seals.

技术参数 / SPECIFICATIONS

使用流体/Fluid	空气,真空/Air,Vacuum
使用压力范围/Operating Pressure	0~1.0MPa(150psi)
负压/Negative Pressure	-100Kpa(-29.5 in·Hg)
耐压/Max Pressure	1.5MPa
使用环境及流体温度/Operating Temperature	0-60℃（32-140°F）
适用软管/Applicable Tube	PU及尼龙管/Polyurethane and Nylon

结构图 / STRUCTURE CHART



订购码 / ORDER CODE

L	PC	8	-	01	-	*
(1)	(2)	(3)		(4)		(5)

(1) 系列号/ Series：F为灰色系列，B为黑色系列，A为白色系列
F:Grey series, B:Black series, A:White series.

(2) 型号/Model

(3) 气管直径/Tube O.D.

公制管/Metric Size							
代号/Code	4	6	8	10	12	14	16
气管外径/ Tube Outer Diameter mm	Φ4	Φ6	Φ8	Φ10	Φ12	Φ14	Φ16

英制管/Inch Size						
代号/Code	5/32	3/16	1/4	5/16	3/8	1/2
气管外径/ Tube Outer Diameter mm	Φ5/32	Φ3/16	Φ1/4	Φ5/16	Φ3/8	Φ1/2

(4) 螺纹大小/Thread Size

(5) 螺纹标准/Thread Type：空白代表PT螺纹，G代表G螺纹，N代表NPT螺纹
Blank：PT Thread，G：G Thread，N：NPT Thread

公制/Metric Size									
代号/Code	M5	M6	M8	M10	M12	M12A	M14	M16	M20
螺纹/Thread	M5*0.8	M6*1	M8*1	M10*1	M12*1.25	M12*1.5	M14*1.5	M16*1.5	M20*1.5

55°锥管螺纹/55° Taper Pipe Size					
代号/Code	01	02	03	04	06
螺纹/Thread	R1/8	R1/4	R3/8	R1/2	R3/4

55°直管螺纹/55°Taper Pipe Size					
代号/Code	01G	02G	03G	04G	06G
螺纹/Thread	G1/8	G1/4	G3/8	G1/2	G3/4


统一细牙螺纹/UNF	美制60°锥管螺纹/American Standard Taper Pipe Thread(NPT)				
代号/Code	U10	01N	02N	03N	04N	06N
螺纹/Thread	10-32UNF	NPT1/8	NPT1/4	NPT3/8	NPT1/2	NPT3/4

塑料快插接头/Plastic Push-in Fittings

neutech®

LPC






型号/MODEL	D	R	A	B	S1	S2	X
PC04-M5	4	M5	4	21.6	10	2	9.9
PC04-M6	4	M6	4.5	22.1	10	2	9.9
PC04-01	4	R1/8	7.5	19.8	10	3	9.9
PC04-02	4	R1/4	9.5	18.1	14	3	9.9
PC06-M5	6	M5	4	22.3	12	2	11.9
PC06-M6	6	M6	4.5	23	12	2	11.9
PC06-01	6	R1/8	7.5	20.8	12	3	11.9
PC06-02	6	R1/4	9.5	21.9	14	4	11.9
PC06-03	6	R3/8	10.5	20.9	17	4	11.9
PC06-04	6	R1/2	13.5	23.9	21	4	11.9
PC08-01	8	R1/8	7.5	26.9	14	5	13.9
PC08-02	8	R1/4	9.5	24.4	14	5	13.9
PC08-03	8	R3/8	10.5	22.4	17	6	13.9
PC08-04	8	R1/2	13.5	24.9	21	6	13.9
PC10-01	10	R1/8	7.5	29.4	17	5	16.9
PC10-02	10	R1/4	9.5	30.7	17	6	16.9
PC10-03	10	R3/8	10.5	27.9	17	8	16.9
PC10-04	10	R1/2	13.5	22.4	21	8	16.9
PC12-01	12	R1/8	7.5	32.1	20	5	19.9
PC12-02	12	R1/4	9.5	34	20	6	19.9
PC12-03	12	R3/8	10.5	30.2	20	8	19.9
PC12-04	12	R1/2	13.5	29.1	21	8	19.9
PC14-02	14	R1/4	7.5	34	22	8	21.8
PC14-03	14	R3/8	10.5	35	22	8	21.8
PC14-04	14	R1/2	13.5	33	22	10	21.8
PC16-03	16	R3/8	10.5	36.5	24	8	23.9
PC16-04	16	R1/2	13.5	34.6	24	10	23.9
PC16-06	16	R3/4	15	29.5	27	10	23.9

LPC-G






型号/MODEL	D	R	A	B	S1	S2	X
PC04-01G	4	G1/8	5.5	18.9	10	3	9.9
PC04-02G	4	G1/4	6.5	18.4	10	3	9.9
PC06-01G	6	G1/8	5.5	20.5	12	4	11.9
PC06-02G	6	G1/4	6.5	21	12	4	11.9
PC06-03G	6	G3/8	7.5	20.5	12	4	11.9
PC06-04G	6	G1/2	10	22.9	12	4	11.9
PC08-01G	8	G1/8	5.5	26	14	5	13.9
PC08-02G	8	G1/4	6.5	23.6	14	5	13.9
PC08-03G	8	G3/8	7.5	23	14	6	13.9
PC08-04G	8	G1/2	10	24	14	6	13.9
PC10-01G	10	G1/8	5.5	27.9	17	5	16.9
PC10-02G	10	G1/4	6.5	29.4	17	6	16.9
PC10-03G	10	G3/8	7.5	25.9	17	8	16.9
PC10-04G	10	G1/2	10	25.9	17	8	16.9
PC12-01G	12	G1/8	5.5	30.6	20	5	19.9
PC12-02G	12	G1/4	6.5	32.2	20	6	19.9
PC12-03G	12	G3/8	7.5	30	20	8	19.9
PC12-04G	12	G1/2	10	31	20	8	19.9
PC14-02G	14	G1/2	6.5	32	22	8	21.8
PC14-03G	14	G3/8	7.5	32.5	22	8	21.8
PC14-04G	14	G1/2	10	31	24	10	21.8
PC16-03G	16	G3/8	7.5	34	24	8	23.9
PC16-04G	16	G1/2	10	37	24	10	23.9

LPC-N






型号/MODEL	D(英寸)	R	A	B	S1(英寸)	S2(英寸)	X
PC5/32-01N	5/32	NPT1/8	7.5	20.3	7/16	3/32	9.9
PC5/32-02N	5/32	NPT1/4	9.5	19	9/16	3/32	9.9
PC1/4-01N	1/4	NPT1/8	7.5	20.8	1/2	5/32	11.9
PC1/4-02N	1/4	NPT1/4	9.5	23.8	9/16	5/32	11.9
PC1/4-03N	1/4	NPT3/8	10.5	24.2	11/16	5/32	11.9
PC1/4-04N	1/4	NPT1/2	13.5	26.6	7/8	5/32	11.9
PC5/16-01N	5/16	NPT1/8	7.5	26.5	9/16	3/16	13.9
PC5/16-02N	5/16	NPT1/4	9.5	24.7	9/16	7/32	13.9
PC5/16-03N	5/16	NPT3/8	10.5	22	11/16	7/32	13.9
PC5/16-04N	5/16	NPT1/2	13.5	25.3	7/8	7/32	13.9
PC3/8-01N	3/8	NPT1/8	7.5	30	11/16	3/16	16.9
PC3/8-02N	3/8	NPT1/4	9.5	31.3	11/16	7/32	16.9
PC3/8-03N	3/8	NPT3/8	10.5	28.5	11/16	5/16	16.9
PC3/8-04N	3/8	NPT1/2	13.5	25.9	7/8	5/16	16.9
PC1/2-01N	1/2	NPT1/8	7.5	32.1	7/8	3/16	19.9
PC1/2-02N	1/2	NPT1/4	9.5	34	7/8	1/4	19.9
PC1/2-03N	1/2	NPT3/8	10.5	30.2	7/8	5/16	19.9
PC1/2-04N	1/2	NPT1/2	13.5	32.2	7/8	5/16	19.9

LPOC






型号/MODEL	D	R	A	B	P	S	X
POC04-M5	4	M5	4	21.6	10	2	9.9
POC04-M6	4	M6	4.5	22.1	10	2	9.9
POC04-01	4	R1/8	7.5	19.8	10	3	9.9
POC04-02	4	R1/4	9.5	18.1	14	3	9.9
POC06-M5	6	M5	4	22.3	12	2	11.9
POC06-M6	6	M6	4.5	23	12	2	11.9
POC06-01	6	R1/8	7.5	20.8	12	3	11.9
POC06-02	6	R1/4	9.5	21.9	14	4	11.9
POC06-03	6	R3/8	10.5	20.9	17	4	11.9
POC06-04	6	R1/2	13.5	23.9	21	4	11.9
POC08-01	8	R1/8	7.5	26.9	14	5	13.9
POC08-02	8	R1/4	9.5	24.4	14	5	13.9
POC08-03	8	R3/8	10.5	22.4	17	6	13.9
POC08-04	8	R1/2	13.5	24.9	21	6	13.9
POC10-01	10	R1/8	7.5	29.4	17	5	16.9
POC10-02	10	R1/4	9.5	30.7	17	6	16.9
POC10-03	10	R3/8	10.5	27.9	17	8	16.9
POC10-04	10	R1/2	13.5	22.4	21	8	16.9
POC12-01	12	R1/8	7.5	32.1	20	5	19.9
POC12-02	12	R1/4	9.5	34	20	6	19.9
POC12-03	12	R3/8	10.5	30.2	20	8	19.9
POC12-04	12	R1/2	13.5	29.1	21	8	19.9
POC14-02	14	R1/4	9.5	34	22	8	21.8
POC14-03	14	R3/8	10.5	35	22	8	21.8
POC14-04	14	R1/2	13.5	33	22	10	21.8
POC16-03	16	R3/8	10.5	36.5	24	8	23.9
POC16-04	16	R1/2	13.5	34.6	24	10	23.9

LPOC-G






型号/MODEL	D	R	A	B	P	S	X
POC04-01G	4	G1/8	5.5	18.9	12	3	9.9
POC04-02G	4	G1/4	6.5	18.4	17	3	9.9
POC06-01G	6	G1/8	5.5	20.5	12	4	11.9
POC06-02G	6	G1/4	6.5	21	17	4	11.9
POC06-03G	6	G3/8	7.5	20.5	20	4	11.9
POC06-04G	6	G1/2	10	22.9	24	4	11.9
POC08-01G	8	G1/8	5.5	26	14	5	13.9
POC08-02G	8	G1/4	6.5	23.6	17	5	13.9
POC08-03G	8	G3/8	7.5	23	20	6	13.9
POC08-04G	8	G1/2	10	24	24	6	13.9
POC10-01G	10	G1/8	5.5	27.9	17	5	16.9
POC10-02G	10	G1/4	6.5	29.4	17	6	16.9
POC10-03G	10	G3/8	7.5	25.9	20	8	16.9
POC10-04G	10	G1/2	10	25.9	24	8	16.9
POC12-01G	12	G1/8	5.5	30.6	20	5	19.9
POC12-02G	12	G1/4	6.5	32.2	20	6	19.9
POC12-03G	12	G3/8	7.5	30	20	8	19.9
POC12-04G	12	G1/2	10	31	24	10	19.9
POC14-02G	14	G1/4	6.5	32	22	8	21.8
POC14-03G	14	G3/8	7.5	32.5	22	8	21.8
POC14-04G	14	G1/2	10	31	24	10	21.8
POC16-03G	16	G3/8	7.5	34	24	8	23.9
POC16-04G	16	G1/2	10	37	24	10	23.9

LPOC-N






型号/MODEL	D(英寸)	R	A	B	P	S(英寸)	X
POC5/32-01N	5/32	NPT1/8	7.5	20.3	11	3/32	9.9
POC5/32-02N	5/32	NPT1/4	9.5	19	14	3/32	9.9
POC1/4-01N	1/4	NPT1/8	7.5	20.8	12.7	5/32	11.9
POC1/4-02N	1/4	NPT1/4	9.5	23.8	14	5/32	11.9
POC1/4-03N	1/4	NPT3/8	10.5	24.2	17.5	5/32	11.9
POC1/4-04N	1/4	NPT1/2	13.5	26.6	22.2	5/32	11.9
POC5/16-01N	5/16	NPT1/8	7.5	26.5	14	3/16	13.9
POC5/16-02N	5/16	NPT1/4	9.5	24.7	14	7/32	13.9
POC5/16-03N	5/16	NPT3/8	10.5	22	17.5	7/32	13.9
PQC5/16-04N	5/16	NPT1/2	13.5	25.3	22.2	7/32	13.9
POC3/8-01N	3/8	NPT1/8	7.5	30	17	3/16	16.9
POC3/8-02N	3/8	NPT1/4	9.5	31.3	17	7/32	16.9
POC3/8-03N	3/8	NPT3/8	10.5	28.5	17.5	5/16	16.9
POC3/8-04N	3/8	NPT1/2	13.5	25.9	22.2	5/16	16.9
POC1/2-01N	1/2	NPT1/8	7.5	32.1	22.2	3/16	19.9
POC1/2-02N	1/2	NPT1/4	9.5	34	22.2	1/4	19.9
POC1/2-03N	1/2	NPT3/8	10.5	30.2	22.2	5/16	19.9
POC1/2-04N	1/2	NPT1/2	13.5	32.2	22.2	5/16	19.9

LPCF






型号/MODEL	D	R	A	B	S	X
PCF04-01	4	R1/8	8	24.8	12	9.9
PCF04-02	4	R1/4	11	27.8	17	9.9
PCF06-01	6	R1/8	8	25	12	11.9
PCF06-02	6	R1/4	11	28	17	11.9
PCF06-03	6	R3/8	12	29	20	11.9
PCF06-04	6	R1/2	14	31	24	11.9
PCF08-01	8	R1/8	8	27.1	14	13.9
PCF08-02	8	R1/4	11	30	17	13.9
PCF08-03	8	R3/8	12	31	20	13.9
PCF08-04	8	R1/2	14	33.1	24	13.9
PCF10-01	10	R1/8	8	30.3	17	16.9
PCF10-02	10	R1/4	11	33.3	17	16.9
PCF10-03	10	R3/8	12	34.3	20	16.9
PCF10-04	10	R1/2	14	36.3	24	16.9
PCF12-01	12	R1/8	8	31.5	20	19.9
PCF12-02	12	R1/4	11	34.5	20	19.9
PCF12-03	12	R3/8	12	35.5	20	19.9
PCF12-04	12	R1/2	14	37.5	24	19.9


LPCF-G






型号/MODEL	D	R	A	B	S	X
PCF04-01G	4	G1/8	8	24.8	12	9.9
PCF04-02G	4	G1/4	11	27.8	17	9.9
PCF06-01G	6	G1/8	8	25	12	11.9
PCF06-02G	6	G1/4	11	28	17	11.9
PCF06-03G	6	G3/8	12	29	20	11.9
PCFO6-04G	6	G1/2	14	31	24	11.9
PCF08-01G	8	G1/8	8	27.1	14	13.9
PCF08-02G	8	G1/4	11	30	17	13.9
PCF08-03G	8	G3/8	12	31	20	13.9
PCFO8-04G	8	G1/2	14	33.1	24	13.9
PCF10-01G	10	G1/8	8	30.3	17	16.9
PCF10-02G	10	G1/4	11	33.3	17	16.9
PCF10-03G	10	G3/8	12	34.3	20	16.9
PCF10-04G	10	G1/2	14	36.3	24	16.9
PCF12-01G	12	G1/8	8	31.5	20	19.9
PCF12-02G	12	G1/4	11	34.5	20	19.9
PCF12-03G	12	G3/8	12	35.5	20	19.9
PCF12-04G	12	G1/2	14	37.5	24	19.9


LPCF-N






型号/MODEL	D(英寸)	R	A	B	S(英寸)	X
PCF5/32-01N	5/32	NPT1/8	8	24.8	9/16	9.9
PCF5/32-02N	5/32	NPT1/4	11	27.8	11/16	9.9
PCF1/4-01N	1/4	NPT1/8	8	25	9/16	11.9
PCF1/4-02N	1/4	NPT1/4	11	28	11/16	11.9
PCF1/4-03N	1/4	NPT3/8	12	29	7/8	11.9
PCF1/4-04N	1/4	NPT1/2	14	31	1	11.9
PCF5/16-01N	5/16	NPT1/8	8	27.1	9/16	13.9
PCF5/16-02N	5/16	NPT1/4	11	30	11/16	13.9
PCF5/16-03N	5/16	NPT3/8	12	31	7/8	13.9
PCF5/16-04N	5/16	NPT1/2	14	33.1	1	13.9
PCF3/8-01N	3/8	NPT1/8	8	30.3	11/16	16.9
PCF3/8-02N	3/8	NPT1/4	11	33.3	11/16	16.9
PCF3/8-03N	3/8	NPT3/8	12	34.3	7/8	16.9
PCF3/8-04N	3/8	NPT1/2	14	36.3	1	16.9
PCF1/2-01N	1/2	NPT1/8	8	31.5	7/8	19.9
PCF1/2-02N	1/2	NPT1/4	11	34.5	7/8	19.9
PCF1/2-03N	1/2	NPT3/8	12	35.5	7/8	19.9
PCF1/2-04N	1/2	NPT1/2	14	37.5	1	19.9

LPMF




型号/MODEL	D	R	M	A	B1	B2	S1	S2
PMF04-01	4	R1/8	M12	8	24.7	9.5	14	14
PMF04-02	4	R1/4	M12	11	27.7	12.5	17	17
PMF06-01	6	R1/8	M14	8	27.4	10	17	17
PMF06-02	6	R1/4	M14	11	30.2	13	17	17
PMF06-03	6	R3/8	M14	12	31.2	14	20	17
PMF08-01	8	R1/8	M16	8	32.5	10	19	19
PMF08-02	8	R1/4	M16	11	35.5	13	19	19
PMF08-03	8	R3/8	M16	12	36.5	14	21	19
PMF08-04	8	R1/2	M16	14	38.5	16	24	19
PMF10-01	10	R1/8	M20	8	32.9	11	24	24
PMF10-02	10	R1/4	M20	11	35.9	13	24	24
PMF10-03	10	R3/8	M20	12	36.9	14	24	24
PMF10-04	10	R1/2	M20	14	38.9	16	24	24
PMF12-01	12	R1/8	M22	8	34	9	24	27
PMF12-02	12	R1/4	M22	11	37	12	24	27
PMF12-03	12	R3/8	M22	12	38	13	24	27
PMF12-04	12	R1/2	M22	14	40	15	24	27

LPMF-G




型号/MODEL	D	G	M	A	B1	B2	S1	S2
PMF04-01G	4	G1/8	M12	8	24.7	9.5	14	14
PMF04-02G	4	G1/4	M12	11	27.7	12.5	17	17
PMF06-01G	6	G1/8	M14	8	27.4	10	17	17
PMF06-02G	6	G1/4	M14	11	30.2	13	17	17
PMF06-03G	6	G3/8	M14	12	31.2	14	20	17
PMF08-01G	8	G1/8	M16	8	32.5	10	19	19
PMF08-02G	8	G1/4	M16	11	35.5	13	19	19
PMF08-03G	8	G3/8	M16	12	36.5	14	21	19
PMF08-04G	8	G1/2	M16	14	38.5	16	24	19
PMF10-01G	10	G1/8	M20	8	32.9	11	24	24
PMF10-02G	10	G1/4	M20	11	35.9	13	24	24
PMF10-03G	10	G3/8	M20	12	36.9	14	24	24
PMF10-04G	10	G1/2	M20	14	38.9	16	24	24
PMF12-01G	12	G1/8	M22	8	34	9	24	27
PMF12-02G	12	G1/4	M22	11	37	12	24	27
PMF12-03G	12	G3/8	M22	12	38	13	24	27
PMF12-04G	12	G1/2	M22	14	40	15	24	27

LPMF-N




型号/MODEL	D	R	M	A	B1	B2	S1	S2
PMF5/32-01N	5/32	NPT1/8	M12	8	24.7	9.5	14	14
PMF5/32-02N	5/32	NPT1/4	M12	11	27.7	12.5	17	17
PMF1/4-01N	1/4	NPT1/8	M14	8	27.4	10	17	17
PMF1/4-02N	1/4	NPT1/4	M14	11	30.2	13	17	17
PMF1/4-03N	1/4	NPT3/8	M14	12	31.2	14	20	17
PMF5/16-01N	5/16	NPT1/8	M16	8	32	10	19	19
PMF5/16-02N	5/16	NPT1/4	M16	11	35	13	19	19
PMF5/16-03N	5/16	NPT3/8	M16	12	36	14	21	19
PMF5/16-04N	5/16	NPT1/2	M16	14	38	16	24	19
PMF3/8-01N	3/8	NPT1/8	M20	8	33.4	11	24	24
PMF3/8-02N	3/8	NPT1/4	M20	11	36.4	13	24	24
PMF3/8-03N	3/8	NPT3/8	M20	12	37.4	14	24	24
PMF3/8-04N	3/8	NPT1/2	M20	14	39.5	16	24	24
PMF1/2-01N	1/2	NPT1/8	M22	8	34	9	24	27
PMF1/2-02N	1/2	NPT1/4	M22	11	37	12	24	27
PMF1/2-03N	1/2	NPT3/8	M22	12	38	13	24	27
PMF1/2-04N	1/2	NPT1/2	M22	14	40	15	24	27

LPL




型号/MODEL	D	R	A	B	C	S	X
PL04-M5	4	M5	4	23	17.25	10	9.9
PL04-M6	4	M6	4.5	23.5	17.25	10	9.9
PL04-01	4	R1/8	7.5	25.5	17.25	10	9.9
PL04-02	4	R1/4	9.5	27.5	17.25	14	9.9
PL06-M5	6	M5	4	24.2	19	12	11.9
PL06-M6	6	M6	4.5	25	19	12	11.9
PL06-01	6	R1/8	7.5	26.8	19	12	11.9
PL06-02	6	R1/4	9.5	28.8	19	14	11.9
PL06-03	6	R3/8	10.5	30.3	19	17	11.9
PL06-04	6	R1/2	13.5	33.2	19	21	11.9
PL08-01	8	R1/8	7.5	29.7	22.1	14	13.9
PL08-02	8	R1/4	9.5	31.7	22.1	14	13.9
PL08-03	8	R3/8	10.5	33.2	22.1	17	13.9
PL08-04	8	R1/2	13.5	36.2	22.1	21	13.9
PL10-01	10	R1/8	7.5	34.8	25.6	17	16.9
PL10-02	10	R1/4	9.5	36.8	25.6	17	16.9
PL10-03	10	R3/8	10.5	37.9	25.6	17	16.9
PL10-04	10	R1/2	13.5	40.7	25.6	21	16.9
PL12-01	12	R1/8	7.5	36.5	29.6	21	19.9
PL12-02	12	R1/4	9.5	38.3	29.6	21	19.9
PL12-03	12	R3/8	10.5	39.5	29.6	21	19.9
PL12-04	12	R1/2	13.5	42.5	29.6	21	19.9
PL14-03	14	R3/8	10.5	41	30.5	22	21.8
PL14-04	14	R1/2	13.5	44	30.5	22	21.8
PL16-03	16	R3/8	10.5	42.8	31.9	24	23.9
PL16-04	16	R1/2	13.5	47.8	31.9	24	23.9
PL16-06	16	R3/4	15	48.8	31.9	27	23.9

LPL-G




型号/MODEL	D	R	A	B	C	S	X
PL04-01G	4	G1/8	5.5	24.5	17.25	14	9.9
PL04-02G	4	G1/4	6.5	27	17.25	12	9.9
PL06-01G	6	G1/8	5.5	25.8	19	14	11.9
PL06-02G	6	G1/4	6.5	28.3	19	14	11.9
PL06-03G	6	G3/8	7.5	28.8	19	14	11.9
PL06-04G	6	G1/2	10	31.7	19	14	11.9
PL08-01G	8	G1/8	5.5	28.7	22.1	14	13.9
PL08-02G	8	G1/4	6.5	31.5	22.1	14	13.9
PL08-03G	8	G3/8	7.5	32	22.1	14	13.9
PL08-04G	8	G1/2	10	35	22.1	14	13.9
PL10-01G	10	G1/8	5.5	33.3	25.6	17	16.9
PL10-02G	10	G1/4	6.5	34.8	25.6	17	16.9
PL10-03G	10	G3/8	7.5	36.9	25.6	17	16.9
PL10-04G	10	G1/2	10	39.7	25.6	17	16.9
PL12-01G	12	G1/8	5.5	35	29.6	21	19.9
PL12-02G	12	G1/4	6.5	36.3	29.6	21	19.9
PL12-03G	12	G3/8	7.5	37	29.6	21	19.9
PL12-04G	12	G1/2	10	41.5	29.6	21	19.9
PL14-03G	14	G3/8	7.5	38	30.5	22	21.8
PL14-04G	14	G1/2	10	41	30.5	24	21.8
PL16-03G	16	G3/8	7.5	39.3	31.9	24	23.9
PL16-04G	16	G1/2	10	42.3	31.9	24	23.9

L PL-N




型号/MODEL	D(英寸)	R	A	B	C	S(英寸)	X
PL5/32-01N	5/32	NPT1/8	7.5	26	17.25	7/16	9.9
PL5/32-02N	5/32	NPT1/4	9.5	27.5	17.25	9/16	9.9
PL1/4-01N	1/4	NPT1/8	7.5	26.8	19	1/2	11.9
PL1/4-02N	1/4	NPT1/4	9.5	28.8	19	9/16	11.9
PL1/4-03N	1/4	NPT3/8	10.5	30.3	19	11/16	11.9
PL1/4-04N	1/4	NPT1/2	13.5	32	19	7/8	11.9
PL5/16-01N	5/16	NPT1/8	7.5	29.7	22.1	9/16	13.9
PL5/16-02N	5/16	NPT1/4	9.5	31.7	22.1	9/16	13.9
PL5/16-03N	5/16	NPT3/8	10.5	33.2	22.1	11/16	13.9
PL5/16-04N	5/16	NPT1/2	13.5	36.2	22.1	7/8	13.9
PL3/8-01N	3/8	NPT1/8	7.5	34.8	25.6	11/16	16.9
PL3/8-02N	3/8	NPT1/4	9.5	36.8	25.6	11/16	16.9
PL3/8-03N	3/8	NPT3/8	10.5	37.9	25.6	11/16	16.9
PL3/8-04N	3/8	NPT1/2	13.5	40.7	25.6	7/8	16.9
PL1/2-01N	1/2	NPT1/8	7.5	35.8	29.6	7/8	19.9
PL1/2-02N	1/2	NPT1/4	9.5	38.3	29.6	7/8	19.9
PL1/2-03N	1/2	NPT3/8	10.5	39.5	29.6	7/8	19.9
PL1/2-04N	1/2	NPT1/2	13.5	42.5	29.6	7/8	19.9

L PLL




型号/MODEL	D	R	A	B	C	S	X
PLL04-M5	4	M5	4	43.35	17.25	10	9.9
PLL04-M6	4	M6	4.5	43.95	17.25	10	9.9
PLL04-01	4	R1/8	7.5	45.45	17.25	10	9.9
PLL04-02	4	R1/4	9.5	47.45	17.25	14	9.9
PLL06-M5	6	M5	4	44.2	19	12	11.9
PLL06-M6	6	M6	4.5	45.3	19	12	11.9
PLL06-01	6	R1/8	7.5	46.8	19	12	11.9
PLL06-02	6	R1/4	9.5	48.8	19	14	11.9
PLL06-03	6	R3/8	10.5	50.3	19	17	11.9
PLL06-04	6	R1/2	13.5	53.3	19	21	11.9
PLL08-01	8	R1/8	7.5	49.7	22.1	14	13.9
PLL08-02	8	R1/4	9.5	51.7	22.1	14	13.9
PLL08-03	8	R3/8	10.5	53.2	22.1	17	13.9
PLL08-04	8	R1/2	13.5	56.2	22.1	21	13.9
PLL10-01	10	R1/8	7.5	44.8	25.6	17	16.9
PLL10-02	10	R1/4	9.5	56.8	25.6	17	16.9
PLL10-03	10	R3/8	10.5	57.7	25.6	17	16.9
PLL10-04	10	R1/2	13.5	60.7	25.6	21	16.9
PLL12-02	12	R1/4	9.5	63.3	29.6	19	19.9
PLL12-03	12	R3/8	10.5	64.5	29.6	19	19.9
PLL12-04	12	R1/2	13.5	67.5	29.6	19	19.9

L PLL-G




型号/MODEL	D	R	A	B	C	S	X
PLL04-01G	4	G1/8	5.5	44.5	18.2	14	9.9
PLL04-02G	4	G1/4	6.5	41.6	18.2	17	9.9
PLL06-01G	6	G1/8	5.5	45.8	19	14	11.9
PLL06-02G	6	G1/4	6.5	47.2	19	17	11.9
PLL06-03G	6	G3/8	7.5	48.2	19	20	11.9
PLL06-04G	6	G1/2	10	50.7	19	24	11.9
PLL08-01G	8	G1/8	5.5	48.5	23	14	13.9
PLL08-02G	8	G1/4	6.5	50.5	23	17	13.9
PLL08-03G	8	G3/8	7.5	51.5	23	20	13.9
PLL08-04G	8	G1/2	10	54	23	24	13.9
PLL10-01G	10	G1/8	5.5	53.3	27.4	17	16.9
PLL10-02G	10	G1/4	6.5	54.8	27.4	17	16.9
PLL10-03G	10	G3/8	7.5	55.8	27.4	20	16.9
PLL10-04G	10	G1/2	10	58.3	27.4	24	16.9
PLL12-02G	12	G1/4	6.5	61.5	29.3	21	19.9
PLL12-03G	12	G3/8	7.5	62.5	29.3	21	19.9
PLL12-04G	12	G1/2	10	65	29.3	24	19.9

L PLL-N




型号/MODEL	D(英寸)	R	A	B	C	S(英寸)	X
PLL5/32-01N	5/32	NPT1/8	7.5	45.45	17.25	7/16	9.9
PLL5/32-02N	5/32	NPT1/4	9.5	47.45	17.25	9/16	9.9
PLL1/4-01N	1/4	NPT1/8	7.5	46.8	19	1/2	11.9
PLL1/4-02N	1/4	NPT1/4	9.5	48.8	19	9/16	11.9
PLL1/4-03N	1/4	NPT3/8	10.5	50.3	19	11/16	11.9
PLL1/4-04N	1/4	NPT1/2	13.5	53.3	19	7/8	11.9
PLL5/16-01N	5/16	NPT1/8	7.5	49.7	22.1	9/16	13.9
PLL5/16-02N	5/16	NPT1/4	9.5	51.7	22.1	9/16	13.9
PLL5/16-03N	5/16	NPT3/8	10.5	53.2	22.1	11/16	13.9
PLL5/16-04N	5/16	NPT1/2	13.5	56.2	22.1	7/8	13.9
PLL3/8-01N	3/8	NPT1/8	7.5	52.3	25.6	11/16	16.9
PLL3/8-02N	3/8	NPT1/4	9.5	54.3	25.6	11/16	16.9
PLL3/8-03N	3/8	NPT3/8	10.5	55.8	25.6	11/16	16.9
PLL3/8-04N	3/8	NPT1/2	13.5	58.8	25.6	7/8	16.9
PLL1/2-02N	1/2	NPT1/4	9.5	62.8	29.6	7/8	19.9
PLL1/2-03N	1/2	NPT3/8	10.5	64.3	29.6	7/8	19.9
PLL1/2-04N	1/2	NPT1/2	13.5	67.3	29.6	7/8	19.9

L PLF




型号/MODEL	D	R	A	B	C	S	X
PLF04-01	4	R1/8	8	23	17.25	12	9.9
PLF04-02	4	R1/4	11	26	17.25	17	9.9
PLF06-01	6	R1/8	8	24.8	19	12	11.9
PLF06-02	6	R1/4	11	27.8	19	17	11.9
PLF06-03	6	R3/8	12	28.8	19	20	11.9
PLF06-04	6	R1/2	14	30.8	19	24	11.9
PLF08-01	8	R1/8	8	28	22.1	14	13.9
PLF08-02	8	R1/4	11	31	22.1	17	13.9
PLF08-03	8	R3/8	12	32	22.1	20	13.9
PLF08-04	8	R1/2	14	34	22.1	24	13.9
PLF10-01	10	R1/8	8	32.3	25.6	17	16.9
PLF10-02	10	R1/4	11	35.3	25.6	17	16.9
PLF10-03	10	R3/8	12	36.3	25.6	20	16.9
PLF10-04	10	R1/2	14	38.3	25.6	24	16.9
PLF12-02	12	R1/4	11	36	29.6	20	19.9
PLF12-03	12	R3/8	12	37	29.6	20	19.9
PLF12-04	12	R1/2	14	39	29.6	24	19.9

L PLF-G




型号/MODEL	D	R	A	B	C	S	X
PLF04-01G	4	G1/8	8	23	17.25	12	9.9
PLF04-02G	4	G1/4	11	26	17.25	17	9.9
PLF06-01G	6	G1/8	8	24.8	19	12	11.9
PLF06-02G	6	G1/4	11	27.8	19	17	11.9
PLF06-03G	6	G3/8	12	28.8	19	20	11.9
PLF06-04G	6	G1/2	14	30.8	19	24	11.9
PLF08-01G	8	G1/8	8	28	22.1	14	13.9
PLF08-02G	8	G1/4	11	31	22.1	17	13.9
PLF08-03G	8	G3/8	12	32	22.1	20	13.9
PLF08-04G	8	G1/2	14	34	22.1	24	13.9
PLF10-01G	10	G1/8	8	32.3	25.6	17	16.9
PLF10-02G	10	G1/4	11	35.3	25.6	17	16.9
PLF10-03G	10	G3/8	12	36.3	25.6	20	16.9
PLF10-04G	10	G1/2	14	38.3	25.6	24	16.9
PLF12-02G	12	G1/4	11	36	29.6	20	19.9
PLF12-03G	12	G3/8	12	37	29.6	20	19.9
PLF12-04G	12	G1/2	14	39	29.6	24	19.9

L PLF-N




型号/MODEL	D(英寸)	R	A	B	C	S(英寸)	X
PLF5/32-01N	5/32	NPT1/8	8	23	17.25	7/16	9.9
PLF5/32-02N	5/32	NPT1/4	11	26	17.25	9/16	9.9
PLF1/4-01N	1/4	NPT1/8	8	24.8	19	1/2	11.9
PLF1/4-02N	1/4	NPT1/4	11	27.8	19	9/16	11.9
PLF1/4-03N	1/4	NPT3/8	12	28.8	19	11/16	11.9
PLF1/4-04N	1/4	NPT1/2	14	30.8	19	7/8	11.9
PLF5/16-01N	5/16	NPT1/8	8	28	22.1	9/16	13.9
PLF5/16-02N	5/16	NPT1/4	11	31	22.1	9/16	13.9
PLF5/16-03N	5/16	NPT3/8	12	32	22.1	11/16	13.9
PLF5/16-04N	5/16	NPT1/2	14	34	22.1	7/8	13.9
PLF3/8-01N	3/8	NPT1/8	8	32.3	25.6	11/16	16.9
PLF3/8-02N	3/8	NPT1/4	11	35.3	25.6	11/16	16.9
PLF3/8-03N	3/8	NPT3/8	12	36.3	25.6	11/16	16.9
PLF3/8-04N	3/8	NPT1/2	14	38.3	25.6	7/8	16.9
PLF1/2-02N	1/2	NPT1/4	11	36	29.6	7/8	19.9
PLF1/2-03N	1/2	NPT3/8	12	37	29.6	7/8	19.9
PLF1/2-04N	1/2	NPT1/2	14	39	29.6	7/8	19.9

LPB




型号/MODEL	D	R	A	B	C	S	X
PB04-M5	4	M5	4	24	18.2	10	9.9
PB04-M6	4	M6	4.5	24.5	18.2	10	9.9
PB04-01	4	R1/8	7.5	26.5	18.2	10	9.9
PB04-02	4	R1/4	9.5	28.5	18.2	14	9.9
PB06-M5	6	M5	4	24.5	19	12	11.9
PB06-M6	6	M6	4.5	25	19	12	11.9
PB06-01	6	R1/8	7.5	27	19	12	11.9
PB06-02	6	R1/4	9.5	29	19	14	11.9
PB06-03	6	R3/8	10.5	30.5	19	17	11.9
PB06-04	6	R1/2	13.5	33.5	19	21	11.9
PB08-01	8	R1/8	7.5	30.1	22.5	14	13.9
PB08-02	8	R1/4	9.5	32.1	22.5	14	13.9
PB08-03	8	R3/8	10.5	33.6	22.5	17	13.9
PB08-04	8	R1/2	13.5	36.6	22.5	21	13.9
PB10-01	10	R1/8	7.5	35.5	28.1	17	16.9
PB10-02	10	R1/4	9.5	37.5	28.1	17	16.9
PB10-03	10	R3/8	10.5	38.5	28.1	17	16.9
PB10-04	10	R1/2	13.5	41.5	28.1	21	16.9
PB12-01	12	R1/8	7.5	36.5	29.3	21	19.9
PB12-02	12	R1/4	9.5	38.5	29.3	21	19.9
PB12-03	12	R3/8	10.5	39.5	29.3	21	19.9
PB12-04	12	R1/2	13.5	42.5	29.3	21	19.9
PB14-03	14	R3/8	10.5	41	30	22	21.8
PB14-04	14	R1/2	13.5	44	30	22	21.8
PB16-03	16	R3/8	10.5	42.6	32.9	24	23.9
PB16-04	16	R1/2	13.5	45.6	32.9	24	23.9

LPB-G




型号/MODEL	D	R	A	B	C	S	X
PB04-01G	4	G1/8	5.5	25.5	18.2	14	9.9
PB04-02G	4	G1/4	6.5	28	18.2	12	9.9
PB06-01G	6	G1/8	5.5	26	19	14	11.9
PB06-02G	6	G1/4	6.5	28.5	19	14	11.9
PB06-03G	6	G3/8	7.5	29.5	19	14	11.9
PB06-04G	6	G1/2	10	32	19	14	11.9
PB08-01G	8	G1/8	5.5	28.5	22.5	14	13.9
PB08-02G	8	G1/4	6.5	31.5	22.5	14	13.9
PB08-03G	8	G3/8	7.5	32.5	22.5	14	13.9
PB08-04G	8	G1/2	10	35	22.5	14	13.9
PB10-01G	10	G1/8	5.5	34	28.1	17	16.9
PB10-02G	10	G1/4	6.5	35.5	28.1	17	16.9
PB10-03G	10	G3/8	7.5	38	28.1	17	16.9
PB10-04G	10	G1/2	10	40.5	28.1	17	16.9
PB12-01G	12	G1/8	5.5	35	29.3	21	19.9
PB12-02G	12	G1/4	6.5	36.5	29.3	21	19.9
PB12-03G	12	G3/8	7.5	37.5	29.3	21	19.9
PB12-04G	12	G1/2	10	40	29.3	21	19.9
PB14-03G	14	G3/8	7.5	39	30	22	21.8
PB14-04G	14	G1/2	10	42	30	24	21.8
PB16-03G	16	G3/8	7.5	40.6	32.9	24	23.9
PB16-04G	16	G1/2	10	43.1	32.9	24	23.9

LPB-N




型号/MODEL	D(英寸)	R	A	B	C	S(英寸)	X
PB5/32-01N	5/32	NPT1/8	7.5	26.4	18.2	7/16	9.9
PB5/32-02N	5/32	NPT1/4	9.5	28.5	18.2	9/16	9.9
PB1/4-01N	1/4	NPT1/8	7.5	26.9	19	1/2	11.9
PB1/4-02N	1/4	NPT1/4	9.5	28.9	19	9/16	11.9
PB1/4-03N	1/4	NPT3/8	10.5	30.4	19	11/16	11.9
PB1/4-04N	1/4	NPT1/2	13.5	33.5	19	7/8	11.9
PB5/16-01N	5/16	NPT1/8	7.5	30.1	22.5	9/16	13.9
PB5/16-02N	5/16	NPT1/4	9.5	32.1	22.5	9/16	13.9
PB5/16-03N	5/16	NPT3/8	10.5	33.6	22.5	11/16	13.9
PB5/16-04N	5/16	NPT1/2	13.5	36.6	22.5	7/8	13.9
PB3/8-01N	3/8	NPT1/8	7.5	35.1	28.1	11/16	16.9
PB3/8-02N	3/8	NPT1/4	9.5	37.1	28.1	11/16	16.9
PB3/8-03N	3/8	NPT3/8	10.5	38.6	28.1	11/16	16.9
PB3/8-04N	3/8	NPT1/2	13.5	41.5	28.1	7/8	16.9
PB1/2-01N	1/2	NPT1/8	7.5	35.8	29.8	7/8	19.9
PB1/2-02N	1/2	NPT1/4	9.5	37.8	29.8	7/8	19.9
PB1/2-03N	1/2	NPT3/8	10.5	39.3	29.8	7/8	19.9
PB1/2-04N	1/2	NPT1/2	13.5	42.3	29.8	7/8	19.9

LPD




型号/MODEL	D	R	A	B	C	S	X
PD04-M5	4	M5	4	24	18.22	10	9.9
PD04-M6	4	M6	4.5	24.5	18.22	10	9.9
PD04-01	4	R1/8	7.5	26.5	18.22	10	9.9
PD04-02	4	R1/4	9.5	28.5	18.22	14	9.9
PD06-M5	6	M5	4	24.5	19	12	11.9
PD06-M6	6	M6	4.5	25	19	12	11.9
PD06-01	6	R1/8	7.5	27	19	12	11.9
PD06-02	6	R1/4	9.5	29	19	14	11.9
PD06-03	6	R3/8	10.5	30.5	19	17	11.9
PD06-04	6	R1/2	13.5	33.4	19	21	11.9
PD08-01	8	R1/8	7.5	30.1	22.5	14	13.9
PD08-02	8	R1/4	9.5	32.1	22.5	14	13.9
PD08-03	8	R3/8	10.5	33.6	22.5	17	13.9
PD08-04	8	R1/2	13.5	36.6	22.5	21	13.9
PD10-01	10	R1/8	7.5	35.5	28.1	17	16.9
PD10-02	10	R1/4	9.5	37.5	28.1	17	16.9
PD10-03	10	R3/8	10.5	38.5	28.1	17	16.9
PD10-04	10	R1/2	13.5	41.3	28.1	21	16.9
PD12-01	12	R1/8	7.5	36.5	29.3	19	19.9
PD12-02	12	R1/4	9.5	38.5	29.3	19	19.9
PD12-03	12	R3/8	10.5	39.5	29.3	19	19.9
PD12-04	12	R1/2	13.5	42.5	29.3	21	19.9
PD14-03	14	R3/8	10.5	41	30.5	22	21.8
PD14-04	14	R1/2	13.5	44	30.5	22	21.8
PD16-03	16	R3/8	10.5	42.6	32.9	24	23.9
PD16-04	16	R1/2	13.5	45.6	32.9	24	23.9

LPD-G



型号/MODEL	D	R	A	B	C	S	X
PD04-01G	4	G1/8	5.5	25.5	18.22	14	9.9
PD04-02G	4	G1/4	6.5	28	18.22	12	9.9
PD06-01G	6	G1/8	5.5	26	19	14	11.9
PD06-02G	6	G1/4	6.5	28.4	19	14	11.9
PD06-03G	6	G3/8	7.5	29.5	19	14	11.9
PD06-04G	6	G1/2	10	32	19	14	11.9
PD08-01G	8	G1/8	5.5	28.5	22.5	14	13.9
PD08-02G	8	G1/4	6.5	31.5	22.5	14	13.9
PD08-03G	8	G3/8	7.5	32.5	22.5	14	13.9
PD08-04G	8	G1/2	10	35	22.5	14	13.9
PD10-01G	10	G1/8	5.5	34	28.1	17	16.9
PD10-02G	10	G1/4	6.5	35.5	28.1	17	16.9
PD10-03G	10	G3/8	7.5	38	28.1	17	16.9
PD10-04G	10	G1/2	10	40.5	28.1	17	16.9
PD12-01G	12	G1/8	5.5	35	29.3	21	19.9
PD12-02G	12	G1/4	6.5	36.5	29.3	21	19.9
PD12-03G	12	G3/8	7.5	36.9	29.3	21	19.9
PD12-04G	12	G1/2	10	40	29.3	21	19.9
PD14-03G	14	G3/8	7.5	39	30.5	22	21.8
PD14-04G	14	G1/2	10	42	30.5	22	21.8
PD16-03G	16	G3/8	7.5	40.6	32.9	24	23.9
PD16-04G	16	G1/2	10	43.1	32.9	24	23.9


LPD-N



型号/MODEL	D(英寸)	R	A	B	C	S2(英寸)	X
PD5/32-01N	5/32	NPT1/8	7.5	26.5	18.22	7/16	9.9
PD5/32-02N	5/32	NPT1/4	9.5	28.5	18.22	9/16	9.9
PD1/4-01N	1/4	NPT1/8	7.5	27	19	1/2	11.9
PD1/4-02N	1/4	NPT1/4	9.5	28.9	19	9/16	11.9
PD1/4-03N	1/4	NPT3/8	10.5	30.5	19	11/16	11.9
PD1/4-04N	1/4	NPT1/2	13.5	33.4	19	7/8	11.9
PD5/16-01N	5/16	NPT1/8	7.5	30.1	22.5	9/16	13.9
PD5/16-02N	5/16	NPT1/4	9.5	32.1	22.5	9/16	13.9
PD5/16-03N	5/16	NPT3/8	10.5	33.6	22.5	11/16	13.9
PD5/16-04N	5/16	NPT1/2	13.5	36.6	22.5	7/8	13.9
PD3/8-01N	3/8	NPT1/8	7.5	34.2	28.1	11/16	16.9
PD3/8-02N	3/8	NPT1/4	9.5	37.3	28.1	11/16	16.9
PD3/8-03N	3/8	NPT3/8	10.5	38.3	28.1	11/16	16.9
PD3/8-04N	3/8	NPT1/2	13.5	41.3	28.1	7/8	16.9
PD1/2-01N	1/2	NPT1/8	7.5	36	29.3	7/8	19.9
PD1/2-02N	1/2	NPT1/4	9.5	38.5	29.3	7/8	19.9
PD1/2-03N	1/2	NPT3/8	10.5	38.8	29.3	7/8	19.9
PD1/2-04N	1/2	NPT1/2	13.5	42.5	29.3	7/8	19.9

LPX






型号/MODEL	D	R	A	B	S	X
PX04-M5	4	M5	4	40.9	10	9.9
PX04-M6	4	M6	4.5	41.5	10	9.9
PX04-01	4	R1/8	7.5	43.3	10	9.9
PX04-02	4	R1/4	9.5	45.3	14	9.9
PX06-M5	6	M5	4	42.2	12	11.9
PX06-M6	6	M6	4.5	42.7	12	11.9
PX06-01	6	R1/8	7.5	44.7	12	11.9
PX06-02	6	R1/4	9.5	46.7	14	11.9
PX06-03	6	R3/8	10.5	48.2	17	11.9
PX06-04	6	R1/2	13.5	51.2	21	11.9
PX08-01	8	R1/8	7.5	47.3	14	13.9
PX08-02	8	R1/4	9.5	49.6	14	13.9
PX08-03	8	R3/8	10.5	51.1	17	13.9
PX08-04	8	R1/2	13.5	54.1	21	13.9
PX10-01	10	R1/8	7.5	56.9	17	16.9
PX10-02	10	R1/4	9.5	58.9	17	16.9
PX10-03	10	R3/8	10.5	59.9	17	16.9
PX10-04	10	R1/2	13.5	62.9	21	16.9
PX12-01	12	R1/8	7.5	59.9	21	19.9
PX12-02	12	R1/4	9.5	61.9	21	19.9
PX12-03	12	R3/8	10.5	62.9	21	19.9
PX12-04	12	R1/2	13.5	65.9	21	19.9

LPX-G






型号/MODEL	D	R	A	B	S	X
PX04-01G	4	G1/8	5.5	42.3	14	9.9
PX04-02G	4	G1/4	6.5	44.8	12	9.9
PX06-01G	6	G1/8	5.5	43.7	14	11.9
PX06-02G	6	G1/4	6.5	46.2	14	11.9
PX06-03G	6	G3/8	7.5	47.2	14	11.9
PX06-04G	6	G1/2	10	49.7	14	11.9
PX08-01G	8	G1/8	5.5	46.1	14	13.9
PX08-02G	8	G1/4	6.5	49.1	14	13.9
PX08-03G	8	G3/8	7.5	50.1	14	13.9
PX08-04G	8	G1/2	10	52.6	14	13.9
PX10-01G	10	G1/8	5.5	55.4	17	16.9
PX10-02G	10	G1/4	6.5	56.9	17	16.9
PX10-03G	10	G3/8	7.5	59.4	17	16.9
PX10-04G	10	G1/2	10	61.9	17	16.9
PX12-01G	12	G1/8	5.5	58.4	21	19.9
PX12-02G	12	G1/4	6.5	59.9	21	19.9
PX12-03G	12	G3/8	7.5	60.9	21	19.9
PX12-04G	12	G1/2	10	64.9	21	19.9

LPX-N






型号/MODEL	D(英寸)	R	A	B	S(英寸)	X
PX5/32-01N	5/32	NPT1/8	7.5	43.6	7/16	9.9
PX5/32-02N	5/32	NPT1/4	9.5	45.6	9/16	9.9
PX1/4-01N	1/4	NPT1/8	7.5	45	1/2	11.9
PX1/4-02N	1/4	NPT1/4	9.5	46.9	9/16	11.9
PX1/4-03N	1/4	NPT3/8	10.5	48.5	11/16	11.9
PX1/4-04N	1/4	NPT1/2	13.5	51.5	7/8	11.9
PX5/16-01N	5/16	NPT1/8	7.5	47.1	9/16	13.9
PX5/16-02N	5/16	NPT1/4	9.5	49.1	9/16	13.9
PX5/16-03N	5/16	NPT3/8	10.5	50.6	11/16	13.9
PX5/16-04N	5/16	NPT1/2	13.5	53.6	7/8	13.9
PX3/8-01N	3/8	NPT1/8	7.5	56.1	11/16	16.9
PX3/8-02N	3/8	NPT1/4	9.5	58.1	11/16	16.9
PX3/8-03N	3/8	NPT3/8	10.5	59.5	11/16	16.9
PX3/8-04N	3/8	NPT1/2	13.5	62.5	7/8	16.9
PX1/2-01N	1/2	NPT1/8	7.5	59.7	7/8	19.9
PX1/2-02N	1/2	NPT1/4	9.5	61.6	7/8	19.9
PX1/2-03N	1/2	NPT3/8	10.5	63.2	7/8	19.9
PX1/2-04N	1/2	NPT1/2	13.5	66.2	7/8	19.9

L PH






型号/MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	S
PH04-M5	4	M5	3.8	10.8	19	19.75	11	8
PH04-01	4	R1/8	7.5	15	23.5	22.1	12.7	10
PH06-M5	6	M5	3.8	10.8	19	24.5	12.8	8
PH06-01	6	R1/8	7.5	15	23.5	23.3	12.8	10
PH06-02	6	R1/4	9.5	16.2	26.3	25.3	12.8	14
PH06-03	6	R3/8	10.5	19	32	27.5	12.8	19
PH08-01	8	R1/8	7.5	15.7	23.5	25.6	14.8	10
PH08-02	8	R1/4	9.5	17.5	26.3	28.7	14.8	14
PH08-03	8	R3/8	10.5	19	32	29.6	14.8	19
PH08-04	8	R1/2	13.5	24	38.6	32.6	14.8	24
PH10-02	10	R1/4	9.5	19.5	26.3	32.4	18	14
PH10-03	10	R3/8	10.5	21	32	33	18	19
PH10-04	10	R1/2	13.5	24.2	38.6	35.9	18	24
PH12-03	12	R3/8	10.5	22.2	32	35.5	20.6	19
PH12-04	12	R1/2	13.5	25.5	38.6	36.4	20.6	24

L PH-G






型号/MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	S
PH04-01G	4	G1/8	6	14.5	23.5	22.1	12.7	10
PH04-02G	4	G1/4	8.3	17.3	27.5	25.7	12.7	14
PH06-01G	6	G1/8	6	14.5	23.5	23.3	12.8	10
PH06-02G	6	G1/4	8.3	16.7	27.5	25.3	12.8	14
PH06-03G	6	G3/8	10	19	35	27.5	12.8	19
PH06-04G	6	G1/2	12	24.5	38.5	30	12.8	24
PH08-01G	8	G1/8	6	15.2	23.5	25.6	14.8	10
PH08-02G	8	G1/4	8.3	18	27.5	28.7	14.8	14
PH08-03G	8	G3/8	10	19	35	29.6	14.8	19
PH08-04G	8	G1/2	12	24.5	38.5	32.6	14.8	24
PH10-01G	10	G1/8	6	17.2	23.5	30.1	18	10
PH10-02G	10	G1/4	8.3	20	27.5	32.4	18	14
PH10-03G	10	G3/8	10	21	35	33	18	19
PH10-04G	10	G1/2	12	24.7	38.5	35.9	18	24
PH12-02G	12	G1/4	8.3	21.3	27.5	34	20.6	14
PH12-03G	12	G3/8	10	22.2	35	35.4	20.6	19
PH12-04G	12	G1/2	12	26	38.5	36.4	20.6	24


LPH-N






型号/MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	S
PH5/32-01N	5/32	NPT1/8	7.5	15	26.6	24.4	12.7	10
PH3/16-01N	3/16	NPT1/8	7.5	15	24.5	22.7	12.7	10
PH3/16-02N	3/16	NPT1/4	9.5	16.8	26.5	24.8	12.7	14
PH1/4-01N	1/4	NPT1/8	7.5	15	24.5	22.7	12.8	10
PH1/4-02N	1/4	NPT1/4	9.5	16.2	26.5	24.8	12.8	14
PH1/4-03N	1/4	NPT3/8	10.5	19	32	27	12.8	19
PH5/16-01N	5/16	NPT1/8	7.5	15.7	24.5	25.1	12.8	10
PH5/16-02N	5/16	NPT1/4	9.5	17.5	26.5	27.9	14.8	14
PH5/16-03N	5/16	NPT3/8	10.5	19	32	30	14.8	19
PH5/16-04N	5/16	NPT1/2	13.5	24	38.2	30.7	14.8	24
PH3/8-01N	3/8	NPT1/8	7.5	17.7	24.5	30.8	18	10
PH3/8-02N	3/8	NPT1/4	9.5	19.5	26.5	32.2	18	14
PH3/8-03N	3/8	NPT3/8	10.5	21	32	32.6	18	19
PH3/8-04N	3/8	NPT1/2	13.5	24.2	38.2	35.2	18	24
PH1/2-02N	1/2	NPT1/4	9.5	20.8	26.5	33.7	20.6	14
PH1/2-03N	1/2	NPT3/8	10.5	22.2	32	35.2	20.6	19
PH1/2-04N	1/2	NPT1/2	13.5	25.5	38.2	36.4	20.6	24

LPHF




型号/MODEL	ΦD	R	A1	A2	H	B	E	Rc	X	C
PHF4–M5	4	M5	3.8	5.5	8	19	20.5	M5	9.9	14.9
PHF4–01	4	R1/8	7.5	8	14	29.1	22.1	G1/8	9.9	14.9
PHF4–02	4	R1/4	9.5	11	17	34.3	23.8	G1/4	9.9	14.9
PHF6–M5	6	M5	3.8	5.5	8	19	24.5	M5	11.9	15.5
PHF6–01	6	R1/8	7.5	8	14	29.1	23.3	G1/8	11.9	15.5
PHF6–02	6	R1/4	9.5	11	17	34.3	25.3	G1/4	11.9	15.5
PHF6–03	6	R3/8	10.5	12	20	40.4	27.5	G3/8	11.9	15.5
PHF6–04	6	R1/2	13.5	14	24	48.7	30	G1/2	11.9	15.5
PHF8–01	8	R1/8	7.5	8	14	29.1	25.7	G1/8	13.9	18.3
PHF8–02	8	R1/4	9.5	11	17	34.3	28.7	G1/4	13.9	18.3
PHF8–03	8	R3/8	10.5	12	20	40.4	29.7	G3/8	13.9	18.3
PHF8–04	8	R1/2	13.5	14	24	48.7	32.4	G1/2	13.9	18.3
PHF10–01	10	R1/8	7.5	8	14	29.1	30.1	G1/8	16.9	20.7
PHF10–02	10	R1/4	9.5	11	17	34.3	32.4	G1/4	16.9	20.7
PHF10–03	10	R3/8	10.5	12	20	40.4	32.9	G3/8	16.9	20.7
PHF10–04	10	R1/2	13.5	14	24	48.7	35.9	G1/2	16.9	20.7
PHF12–02	12	R1/4	9.5	11	17	34.3	34	G1/4	19.9	21.6
PHF12–03	12	R3/8	10.5	12	20	40.4	35.4	G3/8	19.9	21.8
PHF12–04	12	R1/2	13.5	14	24	48.7	36.4	G1/2	19.9	22.3

LFPHF-G




型号/MODEL	ΦD	G	G1	L1	L2	L3	L4	ΦD1	S
PHF04-01G	4	G1/8	G1/8	5	8.5	29	22.1	11.5	14
PHF04-02G	4	G1/4	G1/4	7.5	11	35	23.8	11.5	17
PHF06-01G	6	G1/8	G1/8	5	8.5	29	23.3	13.5	14
PHF06-02G	6	G1/4	G1/4	7.5	11	35	25.3	13.5	17
PHF06-03G	6	G3/8	G3/8	8.5	12	41.7	27.5	13.5	21
PHF06-04G	6	G1/2	G1/2	10	14	47.5	30	13.5	24
PHF08-01G	8	G1/8	G1/8	5	8.5	29	25.7	15	14
PHF08-02G	8	G1/4	G1/4	7.5	11	35	28.7	15	17
PHF08-03G	8	G3/8	G3/8	8.5	12	41.7	29.7	15	21
PHF08-04G	8	G1/2	G1/2	10	14	47.5	32.5	15	24
PHF10-01G	10	G1/8	G1/8	5	8.5	29	30.1	19	14
PHF10-02G	10	G1/4	G1/4	7.5	11	35	32.4	19	17
PHF10-03G	10	G3/8	G3/8	8.5	12	41.7	32.9	19	21
PHF10-04G	10	G1/2	G1/2	11	14	47.5	35.9	19	24
PHF12-02G	12	G1/4	G1/4	7.5	11	35	34	21.5	17
PHF12-03G	12	G3/8	G3/8	8.5	12	41.7	35.4	21.5	21
PHF12-04G	12	G1/2	G1/2	11	14	47.5	36.4	21.5	24

LPHF-N




型号/MODEL	ΦD	R	Rc	L1	L2	L3	L4	ΦD1	S
PHF5/32-01N	5/32	NPT1/8	NPT1/8	7.5	8.5	29	23.5	11.5	9/16
PHF3/16-01N	3/16	NPT1/8	NPT1/8	7.5	8.5	29	23.5	11.5	9/16
PHF3/16-02N	3/16	NPT1/4	NPT1/4	9.5	11	35	24.9	11.5	11/16
PHF1/4-01N	1/4	NPT1/8	NPT1/8	7.5	8.5	29	22.9	13.5	9/16
PHF1/4-02N	1/4	NPT1/4	NPT1/4	9.5	11	35	24.9	13.5	11/16
PH5/16-01N	5/16	NPT1/8	NPT1/8	7.5	8.5	29	25.7	15	9/16
PH5/16-02N	5/16	NPT1/4	NPT1/4	9.5	11	35	28.7	15	11/16
PH5/16-03N	5/16	NPT3/8	NPT3/8	10.5	12	41.7	29.7	15	7/8
PH3/8-02N	3/8	NPT1/4	NPT1/4	9.5	11	35	32	19	11/16
PH3/8-03N	3/8	NPT3/8	NPT3/8	11.5	12	41.7	32.5	19	7/8
PH3/8-04N	3/8	NPT1/2	NPT1/2	13.5	14	47.5	35.5	19	1/1
PH1/2-02N	1/2	NPT1/4	NPT1/4	9.5	11	35	32.9	21.5	11/16
PH1/2-03N	1/2	NPT3/8	NPT3/8	11.5	12	41.7	34.5	21.5	7/8
PH1/2-04N	1/ 2	NPT1/2	NPT1/2	13.5	14	47.5	36	21.5	1/1

LPHT(2)



型号/MODEL	ΦD	R	L1	L2	L3	L4	L5	ΦD1	S
PHT04-01(2)	4	PT1/8	7.5	14	15	38	23.5	11.5	12
PHT04-02(2)	4	PT1/4	9.5	16.5	15	41.5	25.5	11.5	14
PHT06-01(2)	6	PT1/8	7.5	14	15	38	23.5	13.5	12
PHT06-02(2)	6	PT1/4	9.5	16.5	15	41.5	25.4	13.5	14
PHT06-03(2)	6	PT3/8	10.5	18.5	15.7	49.5	29.5	13.5	19
PHT08-01(2)	8	PT1/8	7.5	14.5	15	38	26.5	15	12
PHT08-02(2)	8	PT1/4	9.5	17.5	15	41.5	29	15	14
PHT08-03(2)	8	PT3/8	10.5	18.5	15.7	49.5	30	15	19
PHT08-04(2)	8	PT1/2	13.5	25.5	21.5	60	32.5	15	24
PHT10-01(2)	10	PT1/8	7.5	18	19	44	30.5	19	12
PHT10-02(2)	10	PT1/4	9.5	18.5	21.5	44.8	32.5	19	14
PHT10-03(2)	10	PT3/8	10.5	20.5	21.5	53	33	19	19
PHT10-04(2)	10	PT1/2	13.5	25.5	21.5	60	36	19	24
PHT12-02(2)	12	PT1/4	9.5	18.5	21.5	44.8	33.5	21.5	14
PHT12-03(2)	12	PT3/8	10.5	22	21.5	53	35.5	21.5	19
PHT12-04(2)	12	PT1/2	13.5	25.5	21.5	60	36.5	21.5	24


LPHT-G(2)



型号/MODEL	ΦD	G	L1	L2	L3	L4	L5	ΦD1	S
PHT04-01(2)G	4	G1/8	5.5	14	15	38	23.5	11.5	12
PHT04-02(2)G	4	G1/4	7.5	17.3	15	41.5	25.5	11.5	14
PHT06-01(2)G	6	G1/8	5.5	14	15	38	23.5	13.5	12
PHT06-02(2)G	6	G1/4	7.5	17.3	15	41.5	25.4	13.5	14
PHT06-03(2)G	6	G3/8	7.5	19	15.7	49.5	29.5	13.5	19
PHT08-01(2)G	8	G1/8	5.5	15	15	38	26.5	15	12
PHT08-02(2)G	8	G1/4	7.5	18.3	15	41.5	29	15	14
PHT08-03(2)G	8	G3/8	7.5	19	15.7	49.5	30	15	19
PHT08-04(2)G	8	G1/2	10	24.5	21.5	57	32.5	15	24
PHT10-01(2)G	10	G1/8	5.5	16.8	19	42.5	30.5	19	12
PHT10-02(2)G	10	G1/4	7.5	20	21.5	44.8	32.5	19	14
PHT10-03(2)G	10	G3/8	7.5	21	21.5	53	33	19	19
PHT10-04(2)G	10	G1/2	10	25	21.5	60	36	19	24
PHT12-02(2)G	12	G1/4	7.5	21.5	21.5	44.8	33.5	21.5	14
PHT12-03(2)G	12	G3/8	7.5	22	21.5	53	35.5	21.5	19
PHT12-04(2)G	12	G1/2	10	26	21.5	60.5	36.5	21.5	24

LPHT(3)






型号/MODEL	ΦD	R	L1	L2	L3	L4	L5	L6	ΦD1	S
PHT04-01(3)	4	PT1/8	7.5	14	15	15	53	23.5	11.5	12
PHT04-02(3)	4	PT1/4	9.5	16.5	15	15	56.5	25.5	11.5	14
PHT06-01(3)	6	PT1/8	7.5	14	15	15	53	23.5	13.5	12
PHT06-02(3)	6	PT1/4	9.5	16.5	15	15	56.5	25.4	13.5	14
PHT06-03(3)	6	PT3/8	10.5	18.5	15.7	15.7	65.3	29.5	13.5	19
PHT08-01(3)	8	PT1/8	7.5	14.5	15	15	53	26.5	15	12
PHT08-02(3)	8	PT1/4	9.5	17.5	15	15	56.5	29	15	14
PHT08-03(3)	8	PT3/8	10.5	18.5	15.7	15.7	65.3	30	15	19
PHT08-04(3)	8	PT1/2	13.5	25.5	21.5	21.5	81.5	32.5	15	24
PHT10-01(3)	10	PT1/8	7.5	18	19	19	63	30.5	19	12
PHT10-02(3)	10	PT1/4	9.5	18.5	21.5	21.5	69.5	32.5	19	14
PHT10-03(3)	10	PT3/8	10.5	20.5	21.5	21.5	78	33	19	19
PHT10-04(3)	10	PT1/2	13.5	25.5	21.5	21.5	81.5	36	19	24
PHT12-02(3)	12	PT1/4	9.5	18.5	21.5	21.5	69.5	33.5	21.5	14
PHT12-03(3)	12	PT3/8	10.5	22	21.5	21.5	78	35.5	21.5	19
PHT12-04(3)	12	PT1/2	13.5	25.5	21.5	21.5	81.5	36.5	21.5	24

LPHT-G(3)






型号/MODEL	ΦD	G	L1	L2	L3	L4	L5	L6	ΦD1	S
PHT04-01(3)G	4	G1/8	5.5	14	15	15	53	23.5	11.5	12
PHT04-02(3)G	4	G1/4	7.5	17.3	15	15	56.3	25.5	11.5	14
PHT06-01(3)G	6	G1/8	5.5	14	15	15	53	23.5	13.5	12
PHT06-02(3)G	6	G1/4	7.5	17.3	15	15	56.3	25.4	13.5	14
PHT06-03(3)G	6	G3/8	7.5	19	15.7	15.7	64.4	29.5	13.5	19
PHT08-01(3)G	8	G1/8	5.5	15	15	15	53	26.5	15	12
PHT08-02(3)G	8	G1/4	7.5	18.3	15	15	56.3	29	15	14
PHT08-03(3)G	8	G3/8	7.5	19	15.7	15.7	64.4	30	15	19
PHT08-04(3)G	8	G1/2	10	24.5	21.5	21.5	82	32.5	15	24
PHT10-01(3)G	10	G1/8	5.5	16.8	19	19	61.5	30.3	19	12
PHT10-02(3)G	10	G1/4	7.5	20	21.5	21.5	69.3	32.5	19	14
PHT10-03(3)G	10	G3/8	7.5	21	21.2	21.2	75.4	33	19	19
PHT10-04(3)G	10	G1/2	10	25	21.5	21.5	82	36	19	24
PHT12-02(3)G	12	G1/4	7.5	21.5	21.5	21.5	69.3	33.5	21.5	14
PHT12-03(3)G	12	G3/8	7.5	22	21.2	21.2	75.4	35.5	21.5	19
PHT12-04(3)G	12	G1/2	10	26	21.5	21.5	82	36.5	21.5	24


LPKB






型号/MODEL	ΦD	Φd	A	H	R	E	F	B	X	C
PKB4-01	4	3.3	7.5	10	R1/8	19.5	35.7	66.3	9.9	14.9
PKB4-02	4	3.3	9.5	14	R1/4	19.5	35.7	38.3	9.9	14.9
PKB6-01	6	4.3	7.5	12	R1/8	20.1	41.6	72	11.9	15.5
PKB6-02	6	4.3	9.5	14	R1/4	20.1	41.6	74	11.9	15.5
PKB6-03	6	4.3	10.5	17	R3/8	20.1	41.6	75.5	11.9	15.5
PKB8-01	8	4.3	7.5	14	R1/8	24.5	48	86.8	13.9	18.3
PKB8-02	8	4.3	9.5	14	R1/4	24.5	48	84	13.9	18.3
PKB8-03	8	4.3	10.5	17	R3/8	24.5	48	90.3	13.9	18.3

LPKB-G



型号/MODEL	L	A	B	C	ΦD	Φd	H	G	X
PKB4-01G	65.3	35.7	5.5	14.9	4	3.3	14	G1/8	9.9
PKB4-02G	67.8	35.7	6.5	14.9	4	3.3	12	G1/4	9.9
PKB6-01G	71	41.6	5.5	15.5	6	3.3	14	G1/8	11.9
PKB6-02G	73.5	41.6	6.5	15.5	6	3.3	14	G1/4	11.9
PKB6-03G	74	41.6	7	15.5	6	3.3	14	G3/8	11.9
PKB8-01G	85.3	48	5	18.3	8	4.3	14	G1/8	13.9
PKB8-02G	88.3	48	6.5	18.3	8	4.3	14	G1/4	13.9
PKB8-03G	88.8	48	7	18.3	8	4.3	14	G3/8	13.9


LPKD



型号/MODEL	ΦD1	ΦD2	Φd	H	R	E	F	B	A	X1	X2	C1	C2
PKD6-4-01	6	4	3.3	12	R1/8	19.5	35.7	72	7.5	11.9	9.9	14.9	15.5
PKD8-4-02	8	4	3.3	14	R1/4	20	41.6	73.3	9.5	13.9	9.9	14.9	17.8
PKD8-6-02	8	6	4.3	14	R1/4	20.1	42	73.3	9.5	13.9	11.9	15.7	17.8
PKD10-8-03	10	8	4.3	17	R3/8	24.6	48	92.3	10.5	16.9	13.9	18.3	18.3

LPKD-G






型号/MODEL	L	A	B	C	ΦD1	ΦD2	Φd	H	G	X1	X2
PKD6-4-01G	71	35.7	5	14.9	6	4	3.3	14	G1/8	11.9	9.9
PKD8-4-02G	72.8	41.6	6.5	14.9	8	4	3.3	17	G1/4	13.9	9.9
PKD8-6-01G	69.8	42	5	15.5	8	6	3.3	14	G1/8	13.9	11.9
PKD10-8-02G	89.3	48	6.5	15.5	10	8	4.3	17	G1/4	16.9	13.9

LPU






型号/MODEL	D	A	X
PU04	4	32.8	9.9
PU06	6	35.6	11.9
PU08	8	39.1	13.9
PU10	10	47.8	16.9
PU12	12	48.8	19.9
PU14	14	49	21.8
PU16	16	50.4	23.9

型号/MODEL	D	A	X
PU5/32	5/32	32.8	9.9
PU1/4	1/4	34.9	11.9
PU5/16	5/16	38.4	13.9
PU3/8	3/8	47.8	16.9
PU1/2	1/2	49.4	19.9

LPG






型号/MODEL	D1	D2	A	X1	X2
PG06-04	6	4	34.9	11.9	9.9
PG08-04	8	4	38.1	13.9	9.9
PG08-06	8	6	38.8	13.9	11.9
PG10-06	10	6	47	16.9	11.9
PG10-08	10	8	47.3	16.9	13.9
PG12-10	12	10	48.7	19.9	16.9
PG14-12	14	12	48.3	21.8	19.9
PG16-12	16	12	49.6	23.9	19.9
PG16-14	16	14	50.2	23.9	21.8

型号/MODEL	D1	D2	A	X1	X2
PG1/4-5/32	1/4	5/32	34.9	11.9	9.9
PG5/16-5/32	5/16	5/32	38.4	13.9	9.9
PG5/16-1/4	5/16	1/4	38.4	13.9	11.9
PG3/8-1/4	3/8	1/4	47.8	16.9	11.9
PG3/8-5/16	3/8	5/16	47.8	16.9	13.9
PG1/2-3/8	1/2	3/8	49.4	19.9	16.9

LPV






型号/MODEL	D	A	d	X
PV04	4	17.25	3.2	9.9
PV06	6	19	3.2	11.9
PV08	8	22.8	3.2	13.9
PV10	10	27.6	4.2	16.9
PV12	12	29.6	4.2	19.9
PV14	14	31	5.2	21.8
PV16	16	32.5	5.2	23.9

型号/MODEL	D(英寸)	A	d	X
PV5/32	5/32	17.25	3.2	9.9
PV1/4	1/4	19	3.2	11.9
PV5/16	5/16	22.1	3.2	13.9
PV3/8	3/8	25.6	4.2	16.9
PV1/2	1/2	29.6	4.2	19.9

LPE






型号/MODEL	D	E	d	X
PE04	4	18.2	3.2	9.9
PE06	6	19.5	3.2	11.9
PE08	8	22.8	3.2	13.9
PE10	10	28.3	4.2	16.9
PE12	12	29.4	4.2	19.9
PE14	14	31	5.2	21.8
PE16	16	32.3	5.2	23.9

型号/MODEL	D(英寸)	E	d	X
PE5/32	5/32	18.2	3.2	9.9
PE1/4	1/4	19	3.2	11.9
PE5/16	5/16	22.5	3.2	13.9
PE3/8	3/8	28.1	4.2	16.9
PE1/2	1/2	29.8	4.2	19.9

LPEG






型号/MODEL	D1	D2	E	L	d	X1	X2
PEG06-04	6	4	18.8	39	3.2	11.9	9.9
PEG08-04	8	4	21.8	45.6	3.2	13.9	9.9
PEG08-06	8	6	22.5	45.6	3.2	13.9	11.9
PEG10-06	10	6	27.5	56.6	4.2	16.9	11.9
PEG10-08	10	8	27.8	56.6	4.2	16.9	13.9
PEG12-10	12	10	29.3	58.8	4.2	19.9	16.9
PEG14-12	14	12	30.4	62	5.2	21.8	19.9
PEG16-12	16	12	31.5	64.9	5.2	23.9	19.9
PEG16-14	16	14	32.1	64.9	5.2	23.9	21.8

型号/MODEL	D1	D2	E	L	d	X1	X2
PEG1/4-5/32	1/4	5/32	19	38.05	3.2	11.9	9.9
PEG5/16-5/32	5/16	5/32	22.5	45	3.2	13.9	9.9
PEG5/16-1/4	5/16	1/4	22.7	45	3.2	13.9	11.9
PEG3/8-1/4	3/8	1/4	28.1	55.9	4.2	16.9	11.9
PEG3/8-5/16	3/8	5/16	28.5	55.9	4.2	16.9	13.9
PEG1/2-3/8	1/2	3/8	28.9	59.6	4.2	19.9	16.9

LPEW





型号/MODEL	ΦD1	ΦD2	C1	C2	Φd	E	L	X1	X2
PEW6-4	6	4	15.5	15.4	3.3	19.5	37.6	11.9	9.9
PEW8-4	8	4	17.8	15.4	3.3	22.8	43.6	13.9	9.9
PEW8-6	8	6	17.8	15.5	3.3	22.8	45	13.9	11.9
PEW10-6	10	6	21	16	4.3	28.3	55	16.9	11.9
PEW10-8	10	8	21	17.8	4.3	28.3	55.6	16.9	13.9
PEW12-8	12	8	22.9	17.8	4.3	29.3	57.6	19	13.9
PEW12-10	12	10	22.9	21	4.3	29.3	58.6	19.9	16.9
PEW16-12	16	12	24	22.9	4.3	32.5	63.3	23.9	19.9


LPY



型号/MODEL	D	A	d	X
PY04	4	35.1	3.2	9.9
PY06	6	37.1	3.2	11.9
PY08	8	40.4	3.2	13.9
PY10	10	49.7	4.2	16.9
PY12	12	52.9	4.2	19.9
PY14	14	56	4.2	21.8
PY16	16	60.5	4.2	23.9

型号/MODEL	D(英寸)	A	d	X
PY5/32	5/32	35.4	3.2	9.9
PY1/4	1/4	37.1	3.2	11.9
PY5/16	5/16	39.5	3.2	13.9
PY3/8	3/8	49.4	4.2	16.9
PY1/2	1/2	53.5	4.2	19.9


LPW



型号/MODEL	D1	D2	A	d	X1	X2
PW06-04	6	4	36.5	3.2	11.9	9.9
PW08-04	8	4	39.5	3.2	13.9	9.9
PW08-06	8	6	40.1	3.2	13.9	11.9
PW10-06	10	6	48.9	4.2	16.9	11.9
PW10-08	10	8	49.2	4.2	16.9	13.9
PW12-10	12	10	52.7	4.2	19.9	16.9
PW14-12	14	12	55.4	4.2	21.8	19.7
PW16-12	16	12	59.7	5.1	23.9	19.7
PW16-14	16	14	60.3	5.1	23.9	21.8


型号/MODEL	D1	D2	A	d	X1	X2
PW1/4-5/32	1/4	5/32	37	3.2	11.9	9.9
PW5/16-5/32	5/16	5/32	39.5	3.2	13.9	9.9
PW5/16-1/4	5/16	1/4	39.5	3.2	13.9	11.9
PW3/8-1/4	3/8	1/4	47.6	4.2	16.9	11.9
PW3/8-5/16	3/8	5/16	47.6	4.2	16.9	13.9
PW1/2-3/8	1/2	3/8	52.2	4.2	19.9	16.9

LPZA



型号/MODEL	ΦD	Φd	E	X	C	G
PZA4	4	3.3	17.95	9.9	14.9	14
PZA6	6	3.3	18.9	11.9	15.5	16
PZA8	8	3.3	22.3	13.9	17.8	18
PZA10	10	4.3	28.1	16.9	21	24
PZA12	12	4.3	29.6	19.9	22.9	26.6


L PK



型号/MODEL	D	B	d	F	E	X
PK4	4	58.4	3.2	36.75	18.3	9.9
PK6	6	64.5	3.2	42.8	20	11.9
PK8	8	79.6	3.2	48.7	24.5	13.9
PK10	10	91.6	4.2	58.1	27.8	16.9
PK12	12	101.3	4.2	67.2	30	19.9


型号/MODEL	D(英寸)	B	d	F	E	X
PK5/32	5/32	58.4	3.2	36.75	18.5	9.9
PK1/4	1/4	63.45	3.2	42.6	19.52	11.9
PK5/16	5/16	79.3	3.2	49	23.5	13.9
PK3/8	3/8	90.8	4.2	58.5	27.55	16.9
PK1/2	1/2	101.18	4.2	67.7	30	19.9

LPKG




型号/MODEL	ΦD1	ΦD2	Φd	E	F	B	X1	X2	C1	C2
PKG6–4	6	4	3.3	19	42.7	64.5	11.9	9.9	14.9	15.5
PKG8–4	8	4	3.3	19.33	41.4	64.1	13.9	9.9	14.9	18.3
PKG8–6	8	6	4.3	19.33	41.4	64.1	13.9	11.9	15.5	18.3
PKG10–6	10	6	4.3	23.55	47.8	82.1	16.9	11.9	15.5	21
PKG10–8	10	8	4.3	23.55	47.8	82.1	16.9	13.9	18.3	21
PKG12-10	12	10	4.2	29.35	57.63	94.3	19.9	16.9	19	22

LPP




型号/MODEL	ΦD	B	ΦP1	ΦP2	C
PP4	4	28	5	3	15
PP6	6	33	7	3	17
PP8	8	37	9	4	18
PP10	10	42	11	5	20.5
PP12	12	44	13	6	23

LPGJ



型号/MODEL	ΦD1	ΦD2	B	C1	X	C2
PGJ6–4	6	4	32.9	17	9.9	14.9
PGJ8–4	8	4	34.9	18	9.9	14.9
PGJ8–6	8	6	39	18	11.9	15.9
PGJ10–6	10	6	37	20	11.9	15.9
PGJ10–8	10	8	42	20	13.9	18.3
PGJ12–6	12	6	38.5	23.5	11.9	15.9
PGJ12–8	12	8	40.5	23.5	13.9	18.3
PGJ12–10	12	10	45.9	23.5	16.9	20.5


LPLJ



型号/MODEL	D	A	L	X
PLJ04	4	17.3	33.5	9.9
PLJ06	6	19.2	35.2	11.9
PLJ08	8	22.8	41	13.9
PLJ10	10	27.5	46.7	16.9
PLJ12	12	29.3	50.5	19.9


型号/MODEL	D(英寸)	A	L	X
PLJ5/32	5/32	18.2	34	9.9
PLJ1/4	1/4	19	35.2	11.9
PLJ5/16	5/16	23	41	13.9
PLJ3/8	3/8	27.5	46.7	16.9
PLJ1/2	1/2	29.3	50.5	19.9

LPWJ



型号/MODEL	L	A	B	ΦD1	ΦD2	Φd	Φp	X
PWJ6–4	51.8	11.4	14.9	4	6	3.3	13	11.9
PWJ8–6	55.7	14.6	15.5	6	8	3.3	14.8	13.9
PWJ10–8	60.1	17.9	17.8	8	10	3.3	18.4	16.9
PWJ12–10	70.9	20.4	20.3	10	12	4.3	21	19.9


LPM



型号/MODEL	D	R	S	L	X
PM04	4	M12×1	14	31.8	9.9
PM06	6	M14×1	17	33	11.9
PM08	8	M16×1	19	37.5	13.9
PM10	10	M20×1	24	41.3	16.9
PM12	12	M22×1	26	46.4	19.9
PM14	14	M24x1	27	46.5	21.8
PM16	16	M26x1	29	49	23.8


型号/MODEL	D(英寸)	R	S	L	X
FPM5/32	5/32	M12X1	14	31.8	9.9
FPM1/4	1/4	M14X1	17	33.5	11.9
FPM5/16	5/16	M16X1	19	37.5	13.9
FPM3/8	3/8	M20X1	24	41.3	16.9
FPM1/2	1/2	M22X1	26	46.4	19.9

LPLM




型号/MODEL	L	A	B	C	ΦD	Φd	M	H	X
PLM 04	33.3	17.3	14.9	18.2	4	–	M12	14	9.9
PLM 06	37	19.2	15.5	19	6	3.3	M14	17	11.9
PLM 08	45.5	22.8	17.8	23	8	3.3	M16	20	13.9
PLM 10	50	27.6	20.5	27.4	10	4.3	M20	24	16.9
PLM 12	54.2	29.3	22.9	29.3	12	4.3	M22	26	19.9
PLM 16	62.6	32.5	24	32.5	16	4.3	M27	29	23.9

LPLN



型号/MODEL	ΦD	R	L1	L2	L3	ΦD1	
PLN04-M5	4	M5	3.5	20	19	11.5	10
PLN04-M6	4	M6	4	20.5	19	11.5	10
PLN04-01	4	R1/8	7.5	20.5	19	11.5	10
PLN04-02	4	R1/4	9.5	20	19	11.5	14
PLN04-03	4	R3/8	10.5	21	19	11.5	17
PLN06-M5	6	M5	3.5	21	19.2	13.5	10
PLN06-M6	6	M6	4	21.5	19.2	13.5	10
PLN06-01	6	R1/8	7.5	21.5	19.2	13.5	10
PLN06-02	6	R1/4	9.5	21	19.2	13.5	14
PLN06-03	6	R3/8	10.5	22	19.2	13.5	17
PLN06-04	6	R1/2	13.5	25.5	19.2	13.5	21
PLN08-01	8	R1/8	7.5	22.2	22.5	15	12
PLN08-02	8	R1/4	9.5	21.7	22.5	15	14
PLN08-03	8	R3/8	10.5	22.7	22.5	15	17
PLN08-04	8	R1/2	13.5	26.2	22.5	15	21
PLN10-01	10	R1/8	7.5	26.9	27.8	19	14
PLN10-02	10	R1/4	9.5	28.4	27.8	19	14
PLN10-03	10	R3/8	10.5	24.7	27.8	19	17
PLN10-04	10	R1/2	13.5	28.2	27.8	19	21
PLN12-01	12	R1/8	7.5	28.2	29.5	21.5	15
PLN12-02	12	R1/4	9.5	29.7	29.5	21.5	15
PLN12-03	12	R3/8	10.5	26	29.5	21.5	17
PLN12-04	12	R1/2	13.5	29.5	29.5	21.5	21
PLN14-03	14	R3/8	10.5	34	29.5	23.5	20
PLN14-04	14	R1/2	13.5	33	29.5	23.5	21
PLN16-03	16	R3/8	10.5	35	34	26.5	20
PLN16-04	16	R1/2	13.5	34	34	26.5	21


LPLN-G



型号/MODEL	ΦD	G	L1	L2	L3	ΦD1	
PLN04-01G	4	G1/8	5.5	22	19	11.5	10
PLN04-02G	4	G1/4	6.5	19.5	19	11.5	10
PLN04-03G	4	G3/8	7	20	19	11.5	10
PLN06-01G	6	G1/8	5.5	23	19.2	13.5	10
PLN06-02G	6	G1/4	6.5	20.5	19.2	13.5	10
PLN06-03G	6	G3/8	7	21	19.2	13.5	10
PLN06-04G	6	G1/2	10	23.5	19.2	13.5	20
PLN08-01G	8	G1/8	5.5	23.7	22.5	15	12
PLN08-02G	8	G1/4	6.5	21.2	22.5	15	12
PLN08-03G	8	G3/8	7	21.7	22.5	15	12
PLN08-04G	8	G1/2	10	24.2	22.5	15	12
PLN10-01G	10	G1/8	5.5	26	27.8	19	17
PLN10-02G	10	G1/4	6.5	28	27.8	19	17
PLN10-03G	10	G3/8	7	23.7	27.8	19	17
PLN10-04G	10	G1/2	10	26.2	27.8	19	17
PLN12-01G	12	G1/8	5.5	27.2	29.5	21.5	17
PLN12-02G	12	G1/4	6.5	29.2	29.5	21.5	17
PLN12-03G	12	G3/8	7	25	29.5	21.5	17
PLN12-04G	12	G1/2	10	27.5	29.5	21.5	17
PLN14-03G	14	G3/8	7	32	29.5	23.5	20
PLN14-04G	14	G1/2	10	30.5	29.5	23.5	24
PLN16-03G	16	G3/8	7	33	34	26.5	20
PLN16-04G	16	G1/2	10	31.5	34	26.5	24

LPL45






型号/MODEL	ΦD	R	L1	L2	L3	L4	ΦD1	
PL45 04-M5	4	M5	3.5	22.5	19	39.5	11.3	10
PL45 04-M6	4	M6	4	23.5	19	40.5	11.3	10
PL45 04-01	4	R1/8	7.5	25	19	42	11.3	10
PL45 04-02	4	R1/4	9.5	28	19	45	11.3	14
PL45 04-03	4	R3/8	10.5	29.5	19	46.5	11.3	17
PL45 06-M5	6	M5	3.5	22.5	19.2	40.5	13.3	12
PL45 06-M6	6	M6	4	23.5	19.2	41.5	13.3	12
PL45 06-01	6	R1/8	7.5	25.5	19.2	43.5	13.3	12
PL45 06-02	6	R1/4	9.5	28	19.2	46	13.3	14
PL45 06-03	6	R3/8	10.5	29.5	19.2	47.5	13.3	17
PL45 06-04	6	R1/2	13.5	33	19.2	51	13.3	21
PL45 08-01	8	R1/8	7.5	29.5	22.5	50	14.8	14
PL45 08-02	8	R1/4	9.5	31.5	22.5	52	14.8	14
PL45 08-03	8	R3/8	10.5	33	22.5	53.5	14.8	17
PL45 08-04	8	R1/2	13.5	36.5	22.5	57	14.8	21
PL45 10-01	10	R1/8	7.5	34	27.8	60.5	18.7	17
PL45 10-02	10	R1/4	9.5	36	27.8	62.5	18.7	17
PL45 10-03	10	R3/8	10.5	37	27.8	63.5	18.7	17
PL45 10-04	10	R1/2	13.5	40.5	27.8	67	18.7	21
PL45 12-01	12	R1/8	7.5	36	29.5	64	21.3	21
PL45 12-02	12	R1/4	9.5	38.5	29.5	66.5	21.3	21
PL45 12-03	12	R3/8	10.5	39.5	29.5	67.5	21.3	21
PL45 12-04	12	R1/2	13.5	42.5	29.5	70.5	21.3	21

LPL45-G






型号/MODEL	ΦD	G	L1	L2	L3	L4	ΦD1	
PL45 04-01G	4	G1/8	5.5	25.5	19	42.5	11.3	14
PL45 04-02G	4	G1/4	7.5	28	19	45	11.3	17
PL45 04-03G	4	G3/8	7.5	28.5	19	45.5	11.3	20
PL45 06-01G	6	G1/8	5.5	25.5	19.2	43.5	13.3	14
PL45 06-02G	6	G1/4	7.5	28	19.2	46	13.3	17
PL45 06-03G	6	G3/8	7.5	28.5	19.2	46.5	13.3	20
PL45 06-04G	6	G1/2	10	31	19.2	49	13.3	24
PL45 08-01G	8	G1/8	5.5	29	22.5	49.5	14.8	14
PL45 08-02G	8	G1/4	7.5	31.5	22.5	52	14.8	17
PL45 08-03G	8	G3/8	7.5	32	22.5	52.5	14.8	20
PL45 08-04G	8	G1/2	10	34.5	22.5	55	14.8	24
PL45 10-01G	10	G1/8	5.5	33.5	27.8	60	18.7	17
PL45 10-02G	10	G1/4	7.5	36	27.8	62.5	18.7	17
PL45 10-03G	10	G3/8	7.5	36	27.8	62.5	18.7	20
PL45 10-04G	10	G1/2	10	39.5	27.8	66	18.7	24
PL45 12-01G	12	G1/8	5.5	36	29.5	64	21.3	21
PL45 12-02G	12	G1/4	7.5	38.5	29.5	66.5	21.3	21
PL45 12-03G	12	G3/8	7.5	38.5	29.5	66.5	21.3	21
PL45 12-04G	12	G1/2	10	41.5	29.5	69.5	21.3	24

LPXG






型号/MODEL	ΦD	ΦD1	ΦD2	ΦD3	ΦD4	L	L1	L2
PXG06-04	6	4	13.3	11.3	3.2	11	36.5	15
PXG08	8	8	14.8	14.8	3.2	15	41	16.5
PXG08-04	8	4	14.8	11.3	3.2	11	38.5	15
PXG08-06	8	6	14.8	13.3	3.2	13	40	15.5

LPXT






型号/MODEL	ΦD	R	L3	ΦD1	ΦD2	L	L1	L2	
PXT04-01	4	R1/8	7.5	11.3	3.2	11	43	15	12
PXT04-02	4	R1/4	9.5	11.3	3.2	11	45.5	15	14
PXT06-01	6	R1/8	7.5	13.3	3.2	13	47	15.5	14
PXT06-02	6	R1/4	9.5	13.3	3.2	13	49	15.5	14
PXT06-03	6	R3/8	10.5	13.3	3.2	13	50.5	15.5	17
PXT06-04	6	R1/2	13.5	13.3	3.2	13	54	15.5	21
PXT08-01	8	R1/8	7.5	14.8	3.2	15	48	16.5	14
PXT08-02	8	R1/4	9.5	14.8	3.2	15	50	16.5	14
PXT08-03	8	R3/8	10.5	14.8	3.2	15	51.5	16.5	17
PXT08-04	8	R1/2	13.5	14.8	3.2	15	55	16.5	21

LPXT-G






型号/MODEL	ΦD	G	L3	ΦD1	ΦD2	L	L1	L2	
PXT04-01G	4	G1/8	5.5	11.3	3.2	11	43	15	14
PXT04-02G	4	G1/4	7.5	11.3	3.2	11	45.5	15	17
PXT06-01G	6	G1/8	5.5	13.3	3.2	13	46.5	15.5	14
PXT06-02G	6	G1/4	7.5	13.3	3.2	13	49	15.5	17
PXT06-03G	6	G3/8	7.5	13.3	3.2	13	49.5	15.5	20
PXT06-04G	6	G1/2	10	13.3	3.2	13	52	15.5	24
PXT08-01G	8	G1/8	5.5	14.8	3.2	15	47.5	16.5	14
PXT08-02G	8	G1/4	7.5	14.8	3.2	15	50	16.5	17
PXT08-03G	8	G3/8	7.5	14.8	3.2	15	50.5	16.5	20
PXT08-04G	8	G1/2	10	14.8	3.2	15	53	16.5	24

LPPF





型号/MODEL	ΦD	ΦD1	L
PPF-04	4	11.5	17.5
PPF-06	6	13.5	17.7
PPF-07	7	15	21.3
PPF-08	8	15	21.3
PPF-10	10	19	25
PPF-12	12	21.5	26

特点 / FEATURES

- 用于控制驱动设备的运行速度
- 由于塑料体与接头体的旋转，所以引出方向是自由。

- Used to control the speed of the working equipment
- Because of the resin body and metal body rotation lead to the direction is free.

安全警告 / WARNING

将阀针慢慢从“完全闭合状态位”打开，调节驱动器的速度在阀针打开的情况下调整，驱动器有可能会有突然“冲出”的危险，应在确保安全后进行操作，顺时针方向为“关”，逆时针方向为“开”。不要强行摆动或转动产品，否则可能导致损坏或造成渗漏。


When the needle opened slowly from the “completely closed”, it is dangerous because the actuator may be sudden “come out” while adjusting of the needle in case of it is opened. It should be operating in secure, Clockwise to "off", counterclockwise to "on" Don't swing or rotate the products forcibly, it may result in damage or cause leakage.

注意 / NOTE

节流阀的设计可以允许在充分密闭位有一定程度的空气泄露，因此不要将其用于不允许有空气泄漏的场合。

To a certain extent, the few air leakage of Speed Control is allowed when it is in a completely closed situation because of it is design, Please don't use it in the environment required no air leakage.

结构图 / STRUCTURE CHART



技术参数 / SPECIFICATIONS

使用流体 Fluid	空气（无其他的气体和液体） Air(no other gases or liquids)
使用压力范畴 Operating Pressure	0.1~1.0Mpa(15~150psi)
耐压 Max Pressure	1.5Mpa(225psi)
使用温度范畴 Operating Temperature	0-60℃（32-140°F）
使用软管 Applicable Tube	PU及尼龙管/Polyurethane and Nylon


控制方式 / CONTROL WAY

型号/Type	排气节流阀正装 Exhaust Control out	进气节流阀反装 Entering air Control in
符号/Type		
	例： SC06-01	例： SC06-01B

当你要订反装的节流阀时，请在型号后面加上B，比如： SC06-01B。
When you order control in type,please put B at the end of model type.For example, SC06-01B.

LSC






型号/MODEL	D	R	A	B	S	X	L	
							min	max
SC04-M5	4	M5	3.8	19.75	8	9.9	30.9	33.5
SC04-01	4	R1/8	7.5	21.8	10	9.9	36	41.2
SC04-02	4	R1/4	10.5	24.4	14	9.9	44.3	50
SC06-M5	6	M5	3.8	21.8	8	11.9	30.9	33.5
SC06-01	6	R1/8	7.5	22.7	10	11.9	36	41.2
SC06-02	6	R1/4	10.5	24.8	14	11.9	44.3	50
SC06-03	6	R3/8	12	27.3	19	11.9	47.2	53
SC06-04	6	R1/2	14	30.9	24	11.9	51.3	59
SC08-01	8	R1/8	7.5	25.1	10	13.9	36	41.2
SC08-02	8	R1/4	10.5	27.9	14	13.9	44.3	50
SC08-03	8	R3/8	12	27	19	13.9	47.2	53
SC08-04	8	R1/2	14	30.7	24	13.9	51.3	59
SC10-01	10	R1/8	7.5	30.8	10	16.9	36	41.2
SC10-02	10	R1/4	10.5	32.2	14	16.9	44.3	50
SC10-03	10	R3/8	12	32.6	19	16.9	47.2	53
SC10-04	10	R1/2	14	35.2	24	16.9	51.3	59
SC12-02	12	R1/4	10.5	33.7	14	19.9	44.3	50
SC12-03	12	R3/8	12	35.2	19	19.9	47.2	53
SC12-04	12	R1/2	14	36.4	24	19.9	51.3	59

LSC-G






型号/MODEL	D	R	A	B	S	X	L	
							min	max
SC04-01G	4	G1/8	6.7	21.8	10	9.9	36	41.2
SC04-02G	4	G1/4	9.3	24.4	14	9.9	44.3	50
SC06-01G	6	G1/8	6.7	22.7	10	11.9	36	41.2
SC06-02G	6	G1/4	9.3	24.8	14	11.9	44.3	50
SC06-03G	6	G3/8	10.7	25.8	19	11.9	47.2	53
SC06-04G	6	G1/2	13	30.9	24	11.9	51.3	59
SC08-01G	8	G1/8	6.7	25.1	10	13.9	36	41.2
SC08-02G	8	G1/4	9.3	27.9	14	13.9	44.3	50
SC08-03G	8	G3/8	10.7	27	19	13.9	47.2	53
SC08-04G	8	G1/2	13	30.7	24	13.9	51.3	59
SC10-01G	10	G1/8	6.7	30.8	10	16.9	36	41.2
SC10-02G	10	G1/4	9.3	32.2	14	16.9	44.3	50
SC10-03G	10	G3/8	10.7	32.6	19	16.9	47.2	53
SC10-04G	10	G1/2	13	35.2	24	16.9	51.3	59
SC12-02G	12	G1/4	9.3	33.7	14	19.9	44.3	50
SC12-03G	12	G3/8	10.7	35.2	19	19.9	47.2	53
SC12-04G	12	G1/2	13	36.4	24	19.9	51.3	59

LSC-N






型号/MODEL	D(英寸)	R	A	B	S(英寸)	X	L	
							min	max
SC5/32-01N	5/32	NPT1/8	7.5	21.8	7/16	9.9	36	41.2
SC5/32-02N	5/32	NPT1/4	10.5	24.4	9/16	9.9	44.3	50
SC1/4-01N	1/4	NPT1/8	7.5	22.7	1/2	11.9	36	41.2
SC1/4-02N	1/4	NPT1/4	10.5	24.8	9/16	11.9	44.3	50
SC1/4-03N	1/4	NPT3/8	12	25.8	11/16	11.9	47.2	53
SC1/4-04N	1/4	NPT1/2	14	30.9	7/8	11.9	51.3	59
SC5/16-01N	5/16	NPT1/8	7.5	25.1	9/16	13.9	36	41.2
SC5/16-02N	5/16	NPT1/4	10.5	27.9	9/16	13.9	44.3	50
SC5/16-03N	5/16	NPT3/8	12	27	11/16	13.9	47.2	53
SC5/16-04N	5/16	NPT1/2	14	30.7	7/8	13.9	51.3	59
SC3/8-02N	3/8	NPT1/4	10.5	32.2	11/16	16.9	44.3	50
SC3/8-03N	3/8	NPT3/8	12	32.6	11/16	16.9	47.2	53
SC3/8-04N	3/8	NPT1/2	14	35.2	7/8	16.9	51.3	59
SC1/2-02N	1/2	NPT1/4	10.5	33.7	7/8	19.9	44.3	50
SC1/2-03N	1/2	NPT3/8	12	35.2	7/8	19.9	47.2	53
SC1/2-04N	1/2	NPT1/2	14	36.4	7/8	19.9	51.3	59

LSA






型号/MODEL	ΦD	Φd	A	B		E	C	X
				min	max			
SA4	4	3.2	14	27	29.2	39.5	14.4	9.9
SA6	6	4.3	19.3	38.5	44	46.5	15.5	11.9
SA8	8	4.3	21.5	42.3	47.8	51.5	16.8	13.9
SA10	10	4.3	25.9	47.1	51.7	60.8	19.5	16.9
SA12	12	4.3	31.7	50	56.1	72.6	22.3	19.9


型号/MODEL	ΦD	Φd	A	B		E	C	X
				min	max			
SA5/32	5/32	3.2	14	27	29.2	39.5	14.4	9.9
SA1/4	1/4	4.3	19.3	38.5	44	46.5	15.9	11.9
SA5/16	5/16	4.3	21.5	42.3	47.8	51.5	16.6	13.9
SA3/8	3/8	4.3	25.9	47.1	51.7	60.8	20.2	16.9
SA1/2	1/2	4.3	31.7	50	56.1	72.6	22.1	19.9

LRPC




型号/MODEL	D	R	A	B	S	X
RPC04-M5	4	M5	4	47.5	14	9.9
RPC04-01	4	R1/8	7.5	50.5	14	9.9
RPC04-02	4	R1/4	9.5	52.5	14	9.9
RPC06-M5	6	M5	4	47.5	14	11.9
RPC06-01	6	R1/8	7.5	50.5	14	11.9
RPC06-02	6	R1/4	9.5	52.5	14	11.9
RPC06-03	6	R3/8	10.5	53	17	11.9
RPC06-04	6	R1/2	13.5	56.5	21	11.9
RPC08-01	8	R1/8	7.5	50.5	14	13.9
RPC08-02	8	R1/4	9.5	52.5	14	13.9
RPC08-03	8	R3/8	10.5	53	17	13.9
RPC08-04	8	R1/2	13.5	56.5	21	13.9
RPC10-01	10	R1/8	7.5	60	17	16.9
RPC10-02	10	R1/4	9.5	62	17	16.9
RPC10-03	10	R3/8	10.5	63.5	17	16.9
RPC10-04	10	R1/2	13.5	66	21	16.9
RPC12-01	12	R1/8	7.5	61	21	19.9
RPC12-02	12	R1/4	9.5	63	21	19.9
RPC12-03	12	R3/8	10.5	64.5	21	19.9
RPC12-04	12	R1/2	13.5	67	21	19.9

LRPC-G




型号/MODEL	D	R	A	B	S	X
RPC04-01G	4	G1/8	5.5	48.5	14	9.9
RPC04-02G	4	G1/4	6.5	49.5	17	9.9
RPC06-01G	6	G1/8	5.5	48.5	14	11.9
RPC06-02G	6	G1/4	6.5	49.5	17	11.9
RPC06-03G	6	G3/8	7	50	20	11.9
RPC06-04G	6	G1/2	10	52.5	24	11.9
RPC08-01G	8	G1/8	5.5	48.5	14	13.9
RPC08-02G	8	G1/4	6.5	49.5	17	13.9
RPC08-03G	8	G3/8	7	50	20	13.9
RPC08-04G	8	G1/2	10	52.5	24	13.9
RPC10-01G	10	G1/8	5.5	58	17	16.9
RPC10-02G	10	G1/4	6.5	59	17	16.9
RPC10-03G	10	G3/8	7	60.5	20	16.9
RPC10-04G	10	G1/2	10	62.5	24	16.9
RPC12-01G	12	G1/8	5.5	59	21	19.9
RPC12-02G	12	G1/4	6.5	60	21	19.9
RPC12-03G	12	G3/8	7	61.5	21	19.9
RPC12-04G	12	G1/2	10	63.5	24	19.9

LRPC-N




型号/MODEL	D	R	A	B	S	X
RPC5/32-01N	5/32	NPT1/8	7.5	50.5	14.3	9.9
RPC5/32-02N	5/32	NPT1/4	9.5	52.5	14.3	9.9
RPC1/4-01N	1/4	NPT1/8	7.5	50.5	14.3	11.9
RPC1/4-02N	1/4	NPT1/4	9.5	52.5	14.3	11.9
RPC1/4-03N	1/4	NPT3/8	10.5	53	17.5	11.9
RPC1/4-04N	1/4	NPT1/2	13.5	56.5	22.2	11.9
RPC5/16-01N	5/16	NPT1/8	7.5	50.5	14.3	13.9
RPC5/16-02N	5/16	NPT1/4	9.5	52.5	14.3	13.9
RPC5/16-03N	5/16	NPT3/8	10.5	53	17.5	13.9
RPC5/16-04N	5/16	NPT1/2	13.5	56.5	22.2	13.9
RPC3/8-01N	3/8	NPT1/8	7.5	60	17.5	16.9
RPC3/8-02N	3/8	NPT1/4	9.5	62	17.5	16.9
RPC3/8-03N	3/8	NPT3/8	10.5	63.5	22.2	16.9
RPC3/8-04N	3/8	NPT1/2	13.5	66	22.2	16.9
RPC1/2-01N	1/2	NPT1/8	7.5	61	22.2	19.9
RPC1/2-02N	1/2	NPT1/4	9.5	63	22.2	19.9
RPC1/2-03N	1/2	NPT3/8	10.5	64.5	22.2	19.9
RPC1/2-04N	1/2	NPT1/2	13.5	67	22.2	19.9

LRPL




型号/MODEL	D	R	A	B	C	S	X
RPL04-M5	4	M5	4	32	19.5	14	9.9
RPL04-01	4	R1/8	7.5	35	19.5	14	9.9
RPL04-02	4	R1/4	9.5	37	19.5	14	9.9
RPL06-M5	6	M5	6	32	19.5	14	11.9
RPL06-01	6	R1/8	7.5	35	19.5	14	11.9
RPL06-02	6	R1/4	9.5	37	19.5	14	11.9
RPL06-03	6	R3/8	10.5	37.5	19.5	17	11.9
RPL06-04	6	R1/2	13.5	41	19.5	21	11.9
RPL08-01	8	R1/8	7.5	35	19.5	14	13.9
RPL08-02	8	R1/4	9.5	37	19.5	14	13.9
RPL08-03	8	R3/8	10.5	37.5	19.5	17	13.9
RPL08-04	8	R1/2	13.5	41	19.5	21	13.9
RPL10-01	10	R1/8	7.5	40.5	26.9	17	16.9
RPL10-02	10	R1/4	9.5	42.5	26.9	17	16.9
RPL10-03	10	R3/8	10.5	44	26.9	17	16.9
RPL10-04	10	R1/2	13.5	46.5	26.9	21	16.9
RPL12-01	12	R1/8	7.5	41	29.3	21	19.9
RPL12-02	12	R1/4	9.5	43	29.3	21	19.9
RPL12-03	12	R3/8	10.5	45	29.3	21	19.9
RPL12-04	12	R1/2	13.5	47	29.3	21	19.9

LRPL-G



型号/MODEL	D	R	A	B	C	S	X
RPL04-01G	4	G1/8	5.5	33	19.5	14	9.9
RPL04-02G	4	G1/4	6.5	34	19.5	17	9.9
RPL06-01G	6	G1/8	5.5	33	19.5	14	11.9
RPL06-02G	6	G1/4	6.5	34	19.5	17	11.9
RPL06-03G	6	G3/8	7	34.5	19.5	20	11.9
RPL06-04G	6	G1/2	10	37.5	19.5	24	11.9
RPL08-01G	8	G1/8	5.5	33	19.5	14	13.9
RPL08-02G	8	G1/4	6.5	34	19.5	17	13.9
RPL08-03G	8	G3/8	7	34.5	19.5	20	13.9
RPL08-04G	8	G1/2	10	37.5	19.5	24	13.9
RPL10-01G	10	G1/8	5.5	38.5	26.9	17	16.9
RPL10-02G	10	G1/4	6.5	39.5	26.9	17	16.9
RPL10-03G	10	G3/8	7	41	26.9	20	16.9
RPL10-04G	10	G1/2	10	43	26.9	24	16.9
RPL12-01G	12	G1/8	5	39	29.3	21	19.9
RPL12-02G	12	G1/4	6.5	40	29.3	21	19.9
RPL12-03G	12	G3/8	7	42	29.3	21	19.9
RPL12-04G	12	G1/2	10	43.5	29.3	24	19.9

LRPL-N



型号/MODEL	D	R	A	B	C	S	X
RPL5/32-01N	5/32	NPT1/8	7.5	35	19.5	14.3	9.9
RPL5/32-02N	5/32	NPT1/4	9.5	37	19.5	14.3	9.9
RPL1/4-01N	1/4	NPT1/8	7.5	35	19.5	14.3	11.9
RPL1/4-02N	1/4	NPT1/4	9.5	37	19.5	14.3	11.9
RPL1/4-03N	1/4	NPT3/8	10.5	37.5	19.5	17.5	11.9
RPL1/4-04N	1/4	NPT1/2	13.5	41	19.5	22.2	11.9
RPL5/16-01N	5/16	NPT1/8	7.5	35	19.5	14.3	13.9
RPL5/16-02N	5/16	NPT1/4	9.5	37	19.5	14.3	13.9
RPL5/16-03N	5/16	NPT3/8	10.5	37.5	19.5	17.5	13.9
RPL5/16-04N	5/16	NPT1/2	13.5	41	19.5	22.2	13.9
RPL3/8-01N	3/8	NPT1/8	7.5	40.5	26.9	17.5	16.9
RPL3/8-02N	3/8	NPT1/4	9.5	42.5	26.9	17.5	16.9
RPL3/8-03N	3/8	NPT3/8	10.5	44	26.9	17.5	16.9
RPL3/8-04N	3/8	NPT1/2	13.5	46.5	26.9	22.2	16.9
RPL1/2-01N	1/2	NPT1/8	7.5	41	29.3	22.2	19.9
RPL1/2-02N	1/2	NPT1/4	9.5	43	29.3	22.2	19.9
RPL1/2-03N	1/2	NPT3/8	10.5	45	29.3	22.2	19.9
RPL1/2-04N	1/2	NPT1/2	13.5	47	29.3	22.2	19.9

用途 / APPLICATION


- 用于控制气动装置压缩空气的开与关
- Used for turning air pressure on and off for pneumatic devices.

特点 / FEATURES


- 关闭三通阀时，可以切断压缩空气流入，同时可将气动装置的残留压力排除，以便进行维修和定期检查，能够确保安全
- 两通阀无空气排出功能
- 手控阀门有四种类型供使用

- The three-way valve, when the air is stopped, discharges residual pressure to the outlet, which assures safety in repairing or adjusting connected devices.
- The two-way valve dose not discharge residual pressure.
- There are four types of hand valves for choosing.

结构图 / STRUCTURE CHART



三通阀 / THREE-WAY VALVES



三通控制阀在切断输入端压缩空气时，同时将气动装置内部的残余压力从输出端排出，从而能够保证安全。两通控制阀由于不排放残压，因此适用于不把贮气桶中的残压排出元件。

The three-way valve, when the air is stopped, discharges residual pressure to the outlet, which assures safety in repairing or adjusting connected devices.

The two-way valve dose not discharge residual pressure, and suitable for the tank or other device that does not require a discharging residual pressure.

B:两通/TWO WAY

空白/BLANK：三通/THREE WAY


如果你需要两通手阀，请在型号后面加上B，比如： HVFF06-06B。


When you order Two-Way hand valve,please put B after model type, For example: HVFF06-06B.

技术参数 / SPECIFICATIONS

使用流体/Fluid	空气（无其他的气体和液体）/Air(no other gases or liquids)
使用压力范畴/Operating Pressure	0~1.0MPa(150psi)
负压/Negative Pressure	-100Kpa(-29.5 in·Hg)
使用温度范畴/Operating Temperature	0-60℃（32-140°F）
使用软管/Applicable Tube	PU及尼龙/Polyurethane and Nylon


LHVFF






型号/MODEL		ΦD	Φd	A	B	E	X	X1	C1	C2
二通Two-way	三通Three-way									
HVFF04-04B	FHVFF04-04	4	4.2	16.2	40.2	50.3	9.9			
HVFF06-06B	FHVFF06-06	6	4.2	16.2	39.9	51.1	12		17.9	17.9
HVFF08-06B	FHVFF08-06	8	4.2	16.2	39.9	51.6	14	12	18.8	17.9
HVFF08-08B	FHVFF08-08	8	4.2	16.2	39.9	52	14		18.8	18.8
HVFF10-10B	FHVFF10-10	10	4.2	21.2	45	63.3	17		21	21
HVFF12-10B	FHVFF12-10	12	4.2	21.2	45	63.7	20	17	22.6	21
HVFF12-12B	FHVFF12-12	12	4.2	21.2	45	64.1	20		22.6	22.6

LHVFS






型号/MODEL		L	A	B	C	ΦD	Φd	R	H	X
二通Two-way	三通Three-way									
HVFS06-01B	FHVFS06-01	59.1	16.5	7.5	42.6	6	4.2	R1/8	12	11.9
HVFS06-02B	FHVFS06-02	62.1	16.5	9.5	42.6	6	4.2	R1/4	14	11.9
HVFS06-03B	FHVFS06-03	63.6	16.5	10.5	42.6	6	4.2	R3/8	17	11.9
HVFS08-01B	FHVFS08-01	60	16.5	7.5	42.6	8	4.2	R1/8	14	13.9
HVFS08-02B	FHVFS08-02	62.5	16.5	9.5	42.6	8	4.2	R1/4	14	13.9
HVFS08-03B	FHVFS08-03	64	16.5	10.5	42.6	8	4.2	R3/8	17	13.9
HVFS10-02B	FHVFS10-02	74.4	21.5	9.5	47	10	4.2	R1/4	17	16.9
HVFS10-03B	FHVFS10-03	74.9	21.5	10.5	47	10	4.2	R3/8	17	16.9
HVFS10-04B	FHVFS10-04	78.4	21.5	13.5	47	10	4.2	R1/2	21	16.9
HVFS12-02B	FHVFS12-02	75.3	21.5	9.5	47	12	4.2	R1/4	21	19.9
HVFS12-03B	FHVFS12-03	76.3	21.5	10.5	47	12	4.2	R3/8	21	19.9
HVFS12-04B	FHVFS12-04	78.8	21.5	13.5	47	12	4.2	R1/2	21	19.9


LHVFS-G






型号/MODEL		L	A	B	C	ΦD	Φd	R	H	X
二通Two-way	三通Three-way									
HVFS06-G01B	FHVFS06-G01	58.1	16.5	5.5	42.6	6	4.2	G1/8	14	11.9
HVFS06-G02B	FHVFS06-G02	59.6	16.5	6.5	42.6	6	4.2	G1/4	14	11.9
HVFS06-G03B	FHVFS06-G03	61.1	16.5	7.5	42.6	6	4.2	G3/8	14	11.9
HVFS08-G01B	FHVFS08-G01	58.5	16.5	5.5	42.6	8	4.2	G1/8	14	13.9
HVFS08-G02B	FHVFS08-G02	60	16.5	6.5	42.6	8	4.2	G1/4	17	13.9
HVFS08-G03B	FHVFS08-G03	61.5	16.5	7.5	42.6	8	4.2	G3/8	17	13.9
HVFS10-G02B	FHVFS10-G02	70.9	21.5	6.5	47	10	4.2	G1/4	17	16.9
HVFS10-G03B	FHVFS10-G03	72.4	21.5	7.5	47	10	4.2	G3/8	20	16.9
HVFS10-G04B	FHVFS10-G04	75.9	21.5	10	47	10	4.2	G1/2	19	16.9
HVFS12-G02B	FHVFS12-G02	70.9	21.5	6.5	47	12	4.2	G1/4	21	19.9
HVFS12-G03B	FHVFS12-G03	71.9	21.5	7.5	47	12	4.2	G3/8	21	19.9
HVFS12-G04B	FHVFS12-G04	75.4	21.5	10	47	12	4.2	G1/2	24	19.9

LHVSF





型号/MODEL		L	A	B	C	ΦD	Φd	R	H	X
二通Two-way	三通Three-way									
HVSF01-06B	FHVSF01-06	59.1	16.5	7.5	42.6	6	4.2	R1/8	12	11.9
HVSF02-06B	FHVSF02-06	62.1	16.5	9.5	42.6	6	4.2	R1/4	14	11.9
HVSF03-06B	FHVSF03-06	63.6	16.5	10.5	42.6	6	4.2	R3/8	17	11.9
HVSF01-08B	FHVSF01-08	60	16.5	7.5	42.6	8	4.2	R1/8	14	13.9
HVSF02-08B	FHVSF02-08	62.5	16.5	9.5	42.6	8	4.2	R1/4	14	13.9
HVSF03-08B	FHVSF03-08	64	16.5	10.5	42.6	8	4.2	R3/8	17	13.9
HVSF02-10B	FHVSF02-10	74.4	21.5	9.5	47	10	4.2	R1/4	17	16.9
HVSF03-10B	FHVSF03-10	74.9	21.5	10.5	47	10	4.2	R3/8	17	16.9
HVSF04-10B	FHVSF04-10	78.4	21.5	13.5	47	10	4.2	R1/2	21	16.9
HVSF02-12B	FHVSF02-12	75.3	21.5	9.5	47	12	4.2	R1/4	21	19.9
HVSF03-12B	FHVSF03-12	76.3	21.5	10.5	47	12	4.2	R3/8	21	19.9
HVSF04-12B	FHVSF04-12	78.8	21.5	13.5	47	12	4.2	R1/2	21	19.9